

University of Parma Research Repository

Effect of chestnut flour supplementation on physico-chemical properties and oxidative stability of gluten-free biscuits during storage

This is the peer reviewd version of the followng article:

Original

Effect of chestnut flour supplementation on physico-chemical properties and oxidative stability of glutenfree biscuits during storage / Paciulli, Maria; Rinaldi, Massimiliano; Cavazza, Antonella; Ganino, Tommaso; Rodolfi, Margherita; Chiancone, Benedetta; Chiavaro, Emma. - In: LEBENSMITTEL-WISSENSCHAFT + TECHNOLOGIE. - ISSN 0023-6438. - 98:(2018), pp. 451-457. [10.1016/j.lwt.2018.09.002]

Availability:

This version is available at: 11381/2849364 since: 2021-11-03T09:22:37Z

Publisher: Academic Press

Published DOI:10.1016/j.lwt.2018.09.002

Terms of use:

Anyone can freely access the full text of works made available as "Open Access". Works made available

Publisher copyright

note finali coverpage

(Article begins on next page)

Effect of chestnut flour supplementation on physico-chemical properties and oxidative stability of gluten-free biscuits during storage

Maria Paciulli, Massimiliano Rinaldi*, Antonella Cavazza, Tommaso Ganino, Margherita Rodolfi, Benedetta Chiancone, Emma Chiavaro^a*

^a Dipartimento di Scienze degli Alimenti e del Farmaco, Università degli Studi di Parma, Parco Area delle Scienze 47/A, 43124 Parma, Italy

Corresponding authors:

* phone: +39 (0521) 905846 fax: +39 (0521) 906028 e-mail massimiliano.rinaldi@unipr.it
* phone: +39 (0521) 905888 fax: +39 (0521) 906028 e-mail emma.chiavaro@unipr.it

1 ABSTRACT

2 In the present paper, the effect of different levels of chestnut flour (0, 500, 800, 1000 g/kg) in gluten-free biscuits' formulations was evaluated, during a storage of 60 days. Chestnut flour 3 increased water binding capacity and decreased water absorption index of the gluten-free mix used 4 as the basis of biscuits' recipe, leading also to a decrease of both viscous and elastic moduli as well 5 as hardness of the formulated doughs up to 70 % in comparison to control samples. At time 0 day, 6 the highest chestnut flour contents (1000 and 800 g/kg) gave the highest hardness values of the 7 biscuits; during storage all the formulations showed water content increase from about 26 to 35 8 g/kg. Correspondingly, also hardness values increased during storage while only the ones produced 9 10 with 1000 g/kg chestnut flour remained constant in time. In addition, gluten-free biscuits produced with chestnut flour resulted darker (lower L* and higher a^* and b^* values) and with a larger 11 oxidative stability values, in relation to the antioxidants present in chestnut. Chestnut flour 12 13 improved technological and organoleptic quality of the gluten-free biscuits. 500 g/kg chestnut flour replacement may be considered the best compromise between quality and storage 14 stability. 15

16

17 Keywords: chestnut, biscuits, celiac disease, colour, storage, texture

18

19

20 1. INTRODUCTION

Recently, the market of gluten-free products is expanding, thanks to an increase in consumers avoiding gluten for lifestyle reasons. The market value of this sector, in terms of volume, was estimated to be 393.43 Ktons in 2015, projected to grow at a Compound Annual Growth Rate (CAGR) of 10.4% in 2020 (Gluten-Free Products Market by Type, Source, Region – 2020). Nevertheless, the nutritional and sensory properties of gluten-free products do not meet the demand of celiac patients (Rosell & Matos, 2015).

Recently, it has been reported that in Italy celiac patients rely on biscuits and crackers as sources of
carbohydrates (Valiutti et al., 2017). The most important consequences of a gluten-free diet are: a
lack of micronutrients such as folates, iron, and dietary fibre (Moroni, Dal Bello & Arendt, 2009).
The long shelf-life of biscuits makes possible large-scale production and distribution, as well as the
good eating quality makes biscuits attractive for nutritional improvements (Gadallah & Ashoush,
2016).

The addition of different classes of ingredients (pulses, herbs, pseudocereals, seeds) in the 33 formulation of gluten-free biscuits has been tested to improve their nutritional value: Benkadri et al. 34 (2018) successfully produced gluten-free biscuits with a ratio 78/22 g/kg rice/chickpea flour by 35 using xanthan gum to achieve the proper technological properties of dough; Simons and Hall III 36 37 (2018) sensorially evaluated cookies prepared by means of raw, germinated and pre-treated pinto beans flour up to 400 g/kg; okara was added to improve protein and fibre content (Ostermann-38 Porcel, Quiroga-Panelo, Rinaldoni, Campderrós, 2017), raw and germinated amaranth for total 39 dietary fibre and antioxidant activity (Chauhan, Saxena, Singh, 2015), raw and germinated 40 Chenopodium (Chenopodium album) flour for antioxidant activity, total phenolic and dietary fibre 41 Singh, 2016), pumpkin seeds micro- and macronutrients, 42 content (Jan. Saxena, monounsaturated fatty acids and polyunsaturated fatty acids content (Radocaj, Dimic, 43 Diosady, Vujasinovic, 2017). 44

In this regard chestnut flour being naturally gluten-free, has been often proposed to improve the 45 46 quality of the bakery products for celiac patients, with bread as the most studied product (Dall'Asta et al., 2013; Demirkesen, Mert, Sumnu & Sahin, 2010; Paciulli, Rinaldi, Cirlini, Scazzina & 47 Chiavaro, 2016). Chestnut flour presents high quality proteins with essential amino acids (4–7%), a 48 relatively high amount of sugars (20-30%), starch (50-60%), dietary fibre (4-10%); and low 49 amount of fat (2–4%), mostly unsaturated (Dall'Asta et al., 2013). In addition, chestnut is a good 50 51 source of phenolic compounds, oligominerals and vitamins, mainly group B (De Vasconcelos, Bennett, Rosa & Ferreira-Cardoso, 2010). Furthermore, due to the peculiar composition, chestnut 52 flour may contribute to enhance colour and aroma in gluten-free bakery products (Rinaldi, Paciulli, 53 54 Caligiani, Scazzina & Chiavaro, 2017).

The effect of chestnut flour on biscuits has been investigated in gluten (Dokić, Nikolić, Šoronja– Simović, Pajin & Juul, 2014; Hegazy, Kamil, Hussein & Bareh, 2015) or low fat (Inkaya, Gocmen, Ozturk & Koksel, 2009) products. Until now, only Demirkesen (2016) added chestnut flour at different levels to gluten-free rice based cookies, by analysing the rheological properties of the doughs and the quality of the final products, and finding in the 400 g/kg chestnut flour replacement the best formulation. Storage evaluation on chestnut biscuits was not conducted.

To extend the knowledge in this field and evaluate the main changes occurring on biscuits during the first part of their shelf-life, different percentages of chestnut flour were supplemented to a gluten-free commercial mix to measure the physico-chemical properties of flours, doughs and biscuits during 60 days of storage.

65

66 2. MATERIALS AND METHODS

67 2.1 Samples preparation and storage conditions

A commercial (NT FOOD S.p.A., Altopascio, Lucca, Italy) gluten-free multipurpose mixture was
purchased. The list of ingredients, as reported on label, was: maize flour, pre-gelatinized rice

70	flour, tapioca starch, sucrose, vegetable fibres, salt, thickening agents (guar flour and
71	hydroxypropylmethylcellulose-HPMC) and flavourings. The proximate composition of the mixture,
72	on fresh basis, was the following (g/kg): moisture 97, carbohydrates 857 (sugar 36), fibres 19,
73	proteins 18, fats 9.
74	Similarly, chestnut flour (Molino Bassini, Anzola dell'Emilia, Bologna, Italy) obtained from Italian
75	chestnuts, was purchased on the market and had the following proximate composition on fresh
76	basis (g/kg): moisture 74, carbohydrates (sugar) 715 (275), proteins 67, fibres 108, fats 36.
77	Four biscuit samples were prepared:
78	- M1000: 1000 g/kg gluten-free mixture
79	- M200C800: 200 g/kg gluten-free mixture, 800 g/kg chestnut flour
80	- M500C500: 500 g/kg gluten-free mixture, 500 g/kg chestnut flour
81	- C1000: 1000 g/kg chestnut flour
82	For each formulation, every 100g of gluten free mix, chestnut flour, or mix of the two, were
83	added 50g of powdered sucrose, 30g of water, 30g of butter (containing 150 g/kg of water), 1g of
84	baking powder and 1g of salt.
85	The ratios chestnut flour/gluten-free mixture were selected based on preliminary experiments; the
86	optimal amount of water was obtained by means of preliminary baking tests combined with a
87	consumer test with 20 untrained panellists for evaluating consumers' acceptance of the
88	obtained biscuits.
89	All the ingredients (water at 20°C) were mixed by using a Kitchen-Aid Professional mixer (KPM5,
90	KitchenAid, St. Joseph, Michigan, USA) with a dough hook (K45DH) at speed 2 for 90 seconds.
91	Subsequently, the dough was allowed to rest at 4 °C for 5 min and then rectangular biscuits of 2x5

- 92 cm and 0.8 mm thickness were obtained. Finally, the biscuits were baked at 180°C for 15 min in a
- 93 ventilated electrical oven (Electrolux mod. EVY9841AX, Stockholm, Sweden). Duplicates were
- 94 performed for each formulation.

The cooked biscuits were cooled at room temperature ($25 \pm 1^{\circ}$ C), packaged in sealed air-tight plastic bags and stored in a 25 ± 1 °C and 40% RH temperature/relative humidity-controlled chamber in the dark (ISCO 9000, Milan, Italy). Samples were analysed after 0, 7, 15, 30 and 60 days.

99 2.2 Water absorption indexes of flours

Water binding capacity (WBC) and water absorption index (WAI) were determined as described by 100 Sarangapani (2016) on gluten-free mix, chestnut flour and their mixes. Briefly, for WBC 1.000 \pm 101 0.005 g of flour were mixed with distilled water (10 ml) and centrifuged at 2000 × g for 10 min 102 (Eppendorf 5810 R, Hamburg, Germany). WBC was expressed as grams of water retained 103 per gram of solid. For WAI, flour (50.0 mg \pm 0.1 mg) sample was dispersed in 1.0 ml of 104 105 distilled water and cooked at 90 °C for 10 min. The cooked paste was cooled and then centrifuged at 3000 × g at 4 °C for 10 min. The supernatant was decanted into an evaporating 106 dish and the weight of dry solids was recovered by evaporating the supernatant at 105 °C till 107 constant weight. WAI was expressed as the ratio between residue and initial weight of the 108 109 sample. The results were expressed as average of three replicates.

110 **2.3 Rheological characterization of doughs**

Rheological measurements were carried out using a controlled stress ARES rheometer (Ta 111 Instruments, New Castle, DE, USA). The plate-plate system was used with a diameter of 50 mm 112 and a gap between plates of 2 mm. The temperature of the system was 30.0 ± 0.01 °C (Peltier 113 system). A test time of 15 min was applied to all samples before measuring. Five replicates with 114 different dough sample at each experimental condition were carried out. In addition, Texture profile 115 analysis (TPA) were performed, with slight modification from the study of Armero & Collar, 1997, 116 using a TA-XT2i texture analyser (Stable Microsystems, Surrey, UK) with a 3.5-cm-diameter probe 117 on a preformed cylinder of dough with diameter and height of 2.2 and 1.2 cm, respectively. The test 118

speed was 3 mm/s with a compression of the sample till 50% of its height. Values given are the means of five determinations.

121 **2.4** Thermal properties of flours and biscuits

The DSC-curves were obtained using a Q-100 thermal analysis systems (TA Instruments, New 122 Castle, DE, USA). Distilled water was added to flour and biscuits in a ratio 3:1 (w/w), sealed in 123 hermetic pans, and left to equilibrate for 24 h at room temperature. Samples were heated at a rate of 124 5 °C min⁻¹ in a range of temperature from 25 to 125 °C (Walker S, Seetharaman K, Goldstein, 125 2012) with a void pan as reference. The enthalpy (ΔH) and the onset (T_{on}), peak (T_{p}), and offset 126 (T_{off}) temperatures of the observed transitions were computed from the thermal curves by the 127 Universal Analysis Program 2000 (TA Instruments). Three replicates were analyzed for each 128 sample. 129

130 **2.5** Analysis on biscuits

131 - Moisture content and water activity

The moisture content was evaluated following the AACC standard method, 44-15.02 (AACC, 2000), while a_w was measured using a water activity meter (4TE, AquaLab, Decagon Devices, Inc., WA, USA) after equilibration at room temperature ($20 \pm 2^{\circ}$ C). Three replicates were analyzed for each sample.

136 - *Texture analysis*

Texture analysis was performed using a TA.XT2i Texture Analyzer equipped with a 25 kg load cell (Stable Micro Systems, Godalming, UK). Biscuit hardness was measured by means of a cuttingshear test using a stainless steel knife blade (3 mm thick) which run perpendicular to the major dimension of the sample, placed on a slot surface (4 mm wide), at a constant speed of 2 mm/s. The maximum force (N) required to shear the sample was taken as a measure of hardness (Becker, Damiani, de Melo, Borges, de Barros Vilas Boas, 2014); the distance at the maximum force wasalso recorded. Ten replicates were analyzed for each sample.

144 *- Colour*

145 Colour was determined on five pre-selected locations on two different biscuits for each 146 production. For this measurement a Minolta Colorimeter (CM 2600d, Minolta Co., Osaka, Japan) 147 equipped with a standard illuminant D65 and a 10° position of the standard observer, to simulate 148 the human perception, was used. L^* (lightness), a^* (redness) and b^* (yellowness) were quantified 149 on each sample using the Spectramagic software (Ver. 3.6) (CIE (Commission Internationale de 150 l'eclairage), 1978). The results are reported as the average of twenty replications.

151 *- Oxidative stability*

The oxidative stability of samples was measured with OXITEST (VELP, Usmate, MB, Italy), 152 according to Cavazza et al. (2015), on ground biscuits (30 g of grounded product). Each accelerated 153 154 oxidation test was repeated using two different reactors, for a total of four analytical replies (each reactor is fitted with two separate oxidation chambers), under over-pressure of pure oxygen (0.6 155 MPa, degree 5.0) and constant high temperature (100 °C). The OXITEST response is the induction 156 period (IP), expressed as "stability time" before fat oxidation and corresponding to a drop of O₂ 157 pressure due to the consumption of oxygen by the sample. The IP value is automatically calculated 158 159 from oxidation curve by graphical method (two tangent methods) by using the software OXISoftTM. The results are reported as the average of three replications. 160

161 **2.6 Statistical analysis**

Means and standard deviations were calculated with SPSS (Version 24.0, SPSS Inc., Chicago, USA) statistical software. SPSS was used also to perform one way ANOVA, coupled with a Tukey-Kramer post-hoc test, to evaluate the effect of chestnut flour addition and differences during storage, at a significance level of p \leq 0.05. Pearson correlation coefficients (p \leq 0.01; 0.05) between 167

168 **3. RESULTS AND DISCUSSION**

169 **3.1 Water absorption indexes of flours**

The values of WBC and WAI, obtained on flours and mixtures, are reported in Table 1. The gluten-170 free mixture showed significant highest WBC values followed by M500C500 and finally by both 171 C1000 and M800C200. The large water binding capacity of the hydrocolloids contained in the 172 gluten-free mixture such tapioca starch. vegetable fibres. flour 173 as guar and hydroxypropylmethylcellulose is well known and contributes to the high WBC values (Guarda, 174 175 Rosell, Benedit & Galotto, 2004). However, chestnut flour exhibited a higher WBC value if compared to other natural gluten-free flours (Martínez & Gómez, 2017) thanks to its high fibre 176 content. The addition of 200 g/kg gluten-free mixture to chestnut flour was not sufficient to cause a 177 significant increase in WBC value while, on the contrary, sample M500C500 presented a 178 significantly higher value. 179

Regarding WAI values, the gluten-free mixture showed the lowest value when compared to the 180 samples containing chestnut flour (Table 1). At the same time, the gluten-free mixture presented 181 values higher than other natural gluten-free sources, such as corn, rice flour and tapioca starch 182 183 thanks to the added thickening agents (Cappa, Lucisano & Mariotti, 2013). Chestnut flour (C1000) was able to absorb more water when heated, probably because of the reactions of the high total fibre 184 and protein content. Moreover, since chestnut flour needs a long drying procedure (40 days at 185 186 40°C), it contained a high amount of damaged starch which is reported to increase the water absorption (Ghodke, Ananthanarayan & Rodrigues, 2009). The mix C50M50 gave the highest 187 values among all, due to synergistic interaction and water absorption competition between different 188 starches, fibres and other hydrophilic components, such as low molecular weight polysaccharides 189 and sugars (Maninder, Sandhu & Singh, 2007). 190

191 Despite the different absorption properties of the used flours, the same amount of water was 192 added to all the biscuits formulations, to evaluate the only effect of chestnut flour 193 supplementation.

194

3.2 Rheological characterization of doughs

The G' elastic (storage) and G'' viscous (loss) moduli at 0.05, 5 and 10 s⁻¹ for biscuit doughs are 196 reported in Table 2. Both moduli (G' and G") for all samples increased with increasing frequencies 197 and G' was larger than G" throughout the frequency range. All samples had higher storage moduli 198 than loss moduli, suggesting that they had more elastic properties than viscous properties (Lee & 199 Inglett, 2006). In general, M1000 showed slightly but significantly higher values of both G' and G" 200 201 at all the frequencies, when compared to the mixtures containing chestnut flour. These results 202 confirmed the work of Sozer (2009) for a rice dough supplemented with proteins and gums, in which the increasing amount of polymers in the system resulted in increased elasticity of the dough. 203 Comparing the doughs containing chestnut, a subsequent but not significant decrease of G' and G" 204 205 was observed increasing the amount of substitution. Moreira, Chenlo, Torres & Rama, 2013 reported that both G' and G" moduli strongly decreased in chestnut enriched dough when chestnuts 206 were dried at temperature above the onset gelatinisation temperature. The chestnuts used in this 207 study were subjected to 40 days of drying at constant temperature (40 °C) in a traditional drying 208 kiln called "metato" and for this reason the differences compared to gluten-free mixture were only 209 210 limited. When chestnut flour was used in formulation for biscuits, its effect on the dough rheology resulted different accordingly to the nature of the other flour. Demirkesen (2016) found an increase 211 of G' and G" in rice based doughs with the increase of chestnut percentage, on the contrary, Hegazy 212 213 et al. (2015) found a decrease of the peak viscosity when chestnut was added to wheat based doughs. The studied doughs possessed all $\tan \delta$ values lower than the unit (Table 2), indicating that 214

they were more solid-like material than liquid-like. The chestnut flour in doughs caused an increase 215 in tand increasing viscous-like response due to the effect of sugar and fibres contained in chestnut 216 217 flour (Skendi, Papageorgiou & Biliaderis, 2009).

TPA results on doughs are reported in Table 3. M100 presented the highest hardness value followed 218 by C100 with a value significantly lower. Both combinations between gluten-free mixture and 219 chestnut flour (C800M200 and C500M500) showed significantly lower values of hardness 220 221 compared to M1000 and C1000. On the contrary, samples with predominant chestnut flour (C1000 and C800M200) gave the lowest adhesiveness values caused by the high fibre content and damaged 222 223 starch with a well-known water absorption tendency and a coarser appearance (Mancebo, Picón & Gómez, 2015). This is however not related with the obtained WBC and WAI (Table 1). In 224 accordance with Moreira et al. (2011), the combination of chestnut flour and gluten-free mixture 225 containing hydrocolloids allowed an doughs elasticity increasing with increase in springiness (Table 226 3). This fact was also confirmed by the high values of resilience obtained for C1000 samples. 227 228 Finally, cohesiveness of the doughs containing chestnut resulted higher if compared to M1000 due to the higher sugar content, in accordance with Manohar & Rao (1997). 229

230

3.3 Thermal properties of flours and biscuits

DSC parameters of the analysed samples are reported in Table 4. Similar phenomena for flours and 231 biscuits were observed. Regarding flours, significant differences were observed between M1000 232 233 and the samples containing chestnut. This phenomena is due to the different composition of the gluten-free mixture and the chestnut flour in terms of starch and sugars, as reported in paragraph 234 2.1. The onset temperature as well as offset and peak temperature of gelatinisation (Ton, Toff and Tp) 235 236 were significantly lower for the samples with the highest percentages of chestnut flour (C1000 and M200C800) in comparison to the others. These results, visible in a range already reported for 237 chestnut flour (Torres, Moreira, Chenlo & Morel, 2013), are due to the different nature of maize 238

and chestnut starch and their interactions with other hydrophilic components (Moreira, Chenlo &Arufe, 2015). Moreover, values of gelatinization enthalpy were significantly lower in chestnut
flour compared to gluten-free mixtures (Table 4), because of the high sugar content of the chestnut
flours, which absorb water, reported to influence negatively the starch gelatinization (Demirkensen,
2016). The obtained results are in accordance with Hegazy et al. (2015) who reported a significantly
lower peak and onset temperature for chestnut flour compared to wheat flour.

Biscuits containing chestnut flour presented the lowest T_{on} , T_{off} and enthalpy values of starch transition, confirming that the presence of other ingredients and the cooking procedure did not change thermal properties of cookie dough, in accordance with Walker et al. (2012).

248 **3.4 Analysis on biscuits**

249 Moisture contents of the biscuits during 60 days of storage are reported in Figure 1. At time 0, the sample M200C800 presented the highest value followed by C1000 and by both M1000 and 250 M500C500. During storage, all biscuits absorbed water from the surrounding environment and 251 showed an increase in moisture content, as expected. In particular, M1000 and M500C500 showed 252 253 the highest moisture increase during the first 7 days of storage. At the end of the considered storage period, M1000 and M200C800 presented the highest moisture content, as they continued 254 to absorb humidity after 30 days. C1000 and M500C500, on the other hand, did not show 255 significant differences in moisture content from 30 to 60 days. 256

The values of water activity (a_w) showed a slight but not significant increase passing from 0 to 60 days, with values around 0.40 for all samples (data not shown), in accordance to the values reported for similar products (Romani, Rocculi, Tappi & Dalla Rosa, 2016), with the increase due to the water absorption. Among the tested **formulations**, M500C500 presented the highest values at all storage times (0.42 ± 0.010) due to the competition for water absorption between sugars and fibres in comparison to other samples. M1000 resulted the sample with the highest increasing of a_w during **storage**, passing from values of 0.39 to 0.44.

Hardness values of the biscuits are showed in Figure 2. At time 0 days hardness values resulted 264 significantly different among biscuits, resulting highest for M200C800 and C1000 followed by 265 M1000 and M500C500. The observed differences might depend on total fibre content and, as 266 consequence, water content and/or on the contribute of proteins or broken starch. In this regards a 267 high statistical correlation (p < 0.01) was found between hardness and water content (r =268 269 **0.416**). This trend is in accordance with other studies reported in the scientific literature (Becker et al. 2014) that observed a direct link between fibre content and hardness of wheat and gluten-free 270 biscuits. In addition, Moreira, Chenlo, Torres & Prieto 2012, observed that larger fibre size gives 271 272 higher force required to break the biscuit confirming the large dimension of particles in chestnut flour used in the present study that was obtained by sieving with 300 µm screen. Demirkesen (2016) 273 justified the hardness increasing of rice biscuits enriched with increasing percentage of chestnut 274 275 flour, with the reduction of starch gelatinization, due to the high sugar content of chestnut flour that, binding water, prevent the phenomena, in accordance with our results (Table 4). Moreover, the 276 high sugar content of chestnut may contribute to the hardness increasing, with the 277 phenomena of recrystallization, as already reported by other authors on biscuits (Pittia, Di 278 Teodoro & Sacchetti, 2015). 279

On the other hand, M200C800 and C1000 showed the lowest distance at rupture at time 0 days, demonstrating that biscuits higher in fibre had a lower ability to sustain the deformation, resulting in a more fragile product. In this regard, flours with low WBC are reported to affect the formation of structural matrix and make products more fragile (Shrestha & Noomhorm, 2002). To confirm of this hypothesis, a significant correlation (p<0.005) was found between WBC and distance at rupture of the biscuits at time 0 days (r=0.645).

All samples showed significant increases in hardness during storage (Figure 2), particularly

287 starting from day 15, in relation to the water increase (Figure 1). Guillard, Broyart, Bonazzi,

Guilbert & Gontard (2003) reported that water sorption could lead to food polymers swelling and decrease in material porosity by generating a more compact structure with increase of the instrumental hardness. C1000 was the only sample that did not change in hardness during storage.

Distance at rupture showed two different trends during storage: C1000 and M200C800 showed a significant increase while M500C500 and M1000 showed a decrease. M200C800 and C1000 are the samples richest in fibre and during storage, the increase in moisture content (Figure 2) may have caused the hydration of fibres with a more flexible structure.

Colorimetric parameters of the analysed biscuits resulted deeply influenced by the colour of the flours (Table 5), being chestnut flour darker than gluten-free mixture (Paciulli et al., 2016). M1000 biscuits, nevertheless, shows non-enzymatic browning during cooking, presented a pale appearance with high L^* and low a^* and b^* . Chestnut flour caused a significant decrease of L^* as well as higher a^* and b^* values, proportionally to its content. During storage the colour of biscuits has not changed.

Finally, regarding the oxidative stability of the samples, measured with OXITEST instrument, IP 302 (min) values obtained for analysed samples were 590 \pm 29 for M100, 1528 \pm 69 for M500C500, 303 1.855 ± 35 for M800C200 and 1173 ± 92 for C1000. IP values of biscuits made only with chestnut 304 305 flour resulted significantly higher compared to those obtained from gluten-free mixture thanks to the antioxidant content of chestnut flour as previously reported (Paciulli et al., 2016). Mixing the 306 two flours the IP values resulted even higher than C1000. This may be related to the gluten-free 307 mixture contribution to the reduction of the unsaturated fatty acids' content and to the addition of 308 antioxidant compounds from chestnut flour (Dall'Asta et al., 2013). 309

310 4. CONCLUSIONS

311 The results of this investigation show how chestnut flour affects the physico-chemical

properties of gluten free biscuits. Chestnut flour, regardless the ratio to the gluten free mix, 312 313 led to WBC reduction with a consequent improvement of the **doughs machinability: particularly**, M200C800 and M500C500 doughs presented lower hardness and higher springiness values in 314 comparison to M1000 and C1000. Moreover, M500C500 dough showed also the lowest 315 adhesiveness values among all. The increase of chestnut flour in the doughs led to lower starch 316 gelatinization and to an increase of the hardness values of biscuits after baking. During storage 317 318 hardness of biscuits increased proportionally to the water content, with M2000C8000 resulting the hardest sample. An improvement of the biscuits colour with the addition of chestnut flour was 319 observed up to 800 g/kg, resulting darker, browner and stable biscuits compared to the 320 corresponding, pale, controls. In the same way, also the oxidative stability, increased with the 321 chestnut flour content. Unfortunately, the C1000 sample, resulted too dark due to an excessive 322 sugars' caramelization as well as less stable against oxidation. The present study demonstrates that 323 324 addition of chestnut flour could be a feasible way to improve the technological, organoleptic and overall quality of gluten-free biscuits, resulting 500 g/kg the best addition level. Further studies are 325 however necessary to confirm the obtained results for a longer storage and testing other 326 formulations in the range 500 g/kg and 800 g/kg chestnut flour on gluten-free mix. 327

328 ACKNOWLEDGEMENTS

This work was conducted within the project BIOCAST – La biofunzionalità della filiera del
castagno dalla farina agli scarti, funded by the Italian Ministry of Agriculture, Food and Forestry
Policies.

332 The authors declare no conflict of interest.

333 **References**

- AACC, American Association of Cereal Chemists, Approved Methods of the AACC (10th ed.). Am
 Assoc Cereal Chem, St. Paul, USA (2000).
- Armero, E., & Collar, C. (1997). Texture properties of formulated wheat doughs relationships with
- dough and bread technological quality. *Zeitschrift für Lebensmittel-Untersuchung und- Forschung A*, 204, 136-145.
- Becker, F. S., Damiani, C., de Melo, A. A. M., Borges, P. R. S., & Boas, E. V. D. B. V. (2014).
 Incorporation of buriti endocarp flour in gluten-free whole cookies as potential source of
 dietary fibre. *Plant Foods for Human Nutrition*, 69, 344-350.
- Benkadri, S., Salvador, A., Zidoune, M. N., & Sanz, T. (2018). Gluten-free biscuits based on
 composite rice-chickpea flour and xanthan gum. *Food Science and Technology International*, IN PRESS. DOI:1082013218779323.
- Cavazza, A., Corti, S., Mancinelli, C., Bignardi, C., & Corradini, C. (2015). Effect of the addition
 of chili pepper powder on vegetable oils oxidative stability. *Journal of the American Oil Chemists' Society*, 92, 1593-1599.
- Cappa, C., Lucisano, M., & Mariotti, M. (2013). Rheological properties of gels obtained from
 gluten-free raw materials during a short term aging. *LWT-Food Science and Technology*, 53,
 464-472.
- Chauhan, A., Saxena, D. C., & Singh, S. (2015). Total dietary fibre and antioxidant activity of
 gluten free cookies made from raw and germinated amaranth (*Amaranthus* spp.) flour. *LWT Food Science and Technology*, 63, 939-945.
- Commission Internationale de l'eclairage (CIE), Recommendations on uniform colour spaces, colour equations, psychometric colour terms, in CIE, Commission Internationale de l'eclairage15, Suppl. number 2. CIE, Paris, France, E-1.3.L 1971/9TC-1-3 (1978).
- 357 De Vasconcelos, M.C.B.M., Bennett, R.N., Rosa, E.A.S., Ferreira-Cardoso, J.V., 2010.

- Composition of European chestnut (*Castanea sativa* Mill.) and association with health effects: fresh and processing products. *Journal of the Science of Food and Agriculture*, 90, 1578–1589.
- Dall'Asta, C., Cirlini, M., Morini, E., Rinaldi, M., Ganino, T., & Chiavaro, E. (2013). Effect of
 chestnut flour supplementation on physico-chemical properties and volatiles in bread
 making. *LWT-Food Science and Technology*, 53, 233-239.
- Demirkesen, I. (2016). Formulation of chestnut cookies and their rheological and quality
 characteristics. *Journal of Food Quality*, 39, 264-273.
- Demirkesen, I., Mert, B., Sumnu, G., & Sahin, S. (2010). Utilization of chestnut flour in gluten-free
 bread formulations. *Journal of Food Engineering*, 101, 329-336.
- Dokić, L., Nikolić, I., Šoronja–Simović, D., Pajin, B., & Juul, N. (2014). Sensory characterization
 of cookies with chestnut flour. *World Academy of Science, Engineering and Technology, International Journal of Biological, Biomolecular, Agricultural, Food and Biotechnological Engineering*, 8, 416-419.
- Gadallah, M. G., & Ashoush, I. S. (2016). Value addition on nutritional and sensory properties of
 biscuit using desert truffle (*Terfezia claveryi*) powder. *Food and Nutrition*, 7, 1171-1181.
- Gluten-Free Products Market, 2015: http://www.marketsandmarkets.com/Market-Reports/gluten free-products-market-738.html (accessed 22/06/2018).
- Ghodke, S. K., Ananthanarayan, L., & Rodrigues, L. (2009). Use of response surface methodology
 to investigate the effects of milling conditions on damaged starch, dough stickiness and
 chapatti quality. *Food Chemistry*, 112, 1010-1015.
- Guillard, V., Broyart, B., Bonazzi, C., Guilbert, S., & Gontard, N. (2003). Moisture diffusivity in
 sponge cake as related to porous structure evaluation and moisture content. *Journal of Food Science*, 68(2), 555-562.
- Hegazi, N. A., Kamil, M. M., Hussein, A. M. S., Bareh, G. F. Chemical and technological

- properties of improved biscuit by chestnut flour. *International Journal of Food and Nutritional Sciences*, 3, 7-15.
- Inkaya, A. N., Gocmen, D., Ozturk, S., & Koksel, H. (2009). Investigation on the functional
 properties of chestnut flours and their potential utilization in low-fat cookies. *Food Science and Biotechnology*, 18, 1404–1410.
- Jan, R., Saxena, D. C., & Singh, S. (2016). Physico-chemical, textural, sensory and antioxidant
 characteristics of gluten–Free cookies made from raw and germinated Chenopodium
 (*Chenopodium album*) flour. *LWT-Food Science and Technology*, 71, 281-287.
- Lee, S., & Inglett, G. E. (2006). Rheological and physical evaluation of jet-cooked oat bran in low
 calorie cookies. *International Journal of Food Science & Technology*, 41, 553-559.
- Mancebo, C. M., Picón, J., & Gómez, M. (2015). Effect of flour properties on the quality
 characteristics of gluten free sugar-snap cookies. *LWT-Food Science and Technology*, 64,
 264-269.
- Maninder, K., Sandhu, K. S., & Singh, N. (2007). Comparative study of the functional, thermal and
 pasting properties of flours from different field pea (*Pisum sativum* L.) and pigeon pea
 (Cajanus cajan L.) cultivars. *Food Chemistry*, 104, 259-267.
- Manohar, R. S., & Rao, P. H. (1997). Effect of sugars on the rheological characteristics of biscuit
 dough and quality of biscuits. Journal of the Science of Food and Agriculture, 75, 383-390.
- Martínez, M. M., & Gómez, M. (2017). Rheological and microstructural evolution of the most
 common gluten-free flours and starches during bread fermentation and baking. *Journal of Food Engineering*, 197, 78-86.
- Moreira, R., Chenlo, F., & Arufe, S. (2015). Starch transitions of different gluten free flour doughs
 determined by dynamic thermal mechanical analysis and differential scanning calorimetry.
 Carbohydrate polymers, 127, 160-167.
- 407 Moreira, R., Chenlo, F. & Torres, M.D. (2011). Rheology of commercial chestnut flour doughs

- 408 incorporated with gelling agents. *Food Hydrocolloids*, 25, 1361–1371.
- Moreira, R., Chenlo, F., Torres, M. D., & Prieto, D. M. (2012). Technological assessment of
 chestnut flour doughs regarding to doughs from other commercial flours and formulations. *Food and Bioprocess Technology*, 5, 2301-2310.
- Moreira, R., Chenlo, F., Torres, M. D., & Rama, B. (2013). Influence of the chestnuts drying
 temperature on the rheological properties of their doughs. *Food and Bioproducts Processing*, 91, 7-13.
- Moroni, A.V., Dal Bello, F., Arendt, E.K., 2009. Sourdough in gluten-free bread making: an ancient
 technology to solve a novel issue? *Food Microbiology* 26, 676–684.
- 417 Ostermann-Porcel, M. V., Quiroga-Panelo, N., Rinaldoni, A. N., & Campderrós, M. E. (2017).
 418 Incorporation of okara into gluten-free cookies with high quality and nutritional
 419 value. *Journal of Food Quality*. https://doi.org/10.1155/2017/4071585.
- Paciulli, M., Rinaldi, M., Cirlini, M., Scazzina, F., & Chiavaro, E. (2016). Chestnut flour addition
 in commercial gluten-free bread: a shelf-life study. *LWT-Food Science and Technology*, 70,
 88-95.
- 423 Pittia P., Di Teodoro G., Sacchetti G. (2015) Water Antiplasticization Effect in biscuits as affected
- 424 by glucose and sucrose addition. In: Gutiérrez-López G., Alamilla-Beltrán L., del Pilar
- 425 Buera M., Welti-Chanes J., Parada-Arias E., Barbosa-Cánovas G. (Eds) Water Stress in
- Biological, Chemical, Pharmaceutical and Food Systems (pp. 593-603). Food Engineering
 Series. Springer, New York, NY
- Radocaj O., Dimic E., Diosady L. L., & Vujasinovic V. (2017). Use of hull-less pumpkin
 (*Cucurbita pepo* L.) seed oil press-cake in gluten-free cookies: Nutritional and mineral
 profile. Agro food industry hi-tech, 28, 63-66.
- 431 Rinaldi, M., Paciulli, M., Caligiani, A., Scazzina, F., & Chiavaro, E. (2017). Sourdough
 432 fermentation and chestnut flour in gluten-free bread: A shelf-life evaluation. *Food*

433 *chemistry*, 224, 144-152.

- Romani, S., Rocculi, P., Tappi, S., & Dalla Rosa, M. (2016). Moisture adsorption behaviour of
 biscuit during storage investigated by using a new Dynamic Dewpoint method. *Food chemistry*, 195, 97-103.
- 437 Rosell, C.M. & Matos, M.E. (2015) Market and nutrition issues of gluten-free foodstuff. In: Arranz,
- E., Fernández-Bañares, F., Rosell, C.M., Rodrigo, L. and Peña, A.S. (Eds.) *Advances in the Understanding of Gluten Related Pathology and the Evolution of Gluten-Free Foods*, (pp.
 675-713) Omnia Science, Barcelona.
- Sarangapani, C., Thirumdas, R., Devi, Y., Trimukhe, A., Deshmukh, R. R., & Annapure, U. S.
 (2016). Effect of low-pressure plasma on physico–chemical and functional properties of
 parboiled rice flour. *LWT-Food Science and Technology*, 69, 482-489.
- 444 Skendi, A., Papageorgiou, M., & Biliaderis, C. G. (2009). Effect of barley β-glucan molecular size
 445 and level on wheat dough rheological properties. *Journal of Food Engineering*, 91, 594-601.
- Shrestha, A. K., & Noomhorm, A. (2002). Comparison of physico-chemical properties of biscuits
 supplemented with soy and kinema flours. *International Journal of Food Science* & *Technology*, 37, 361-368.
- Simons, C. W., & Hall III, C. (2018). Consumer acceptability of gluten-free cookies containing raw
 cooked and germinated pinto bean flours. *Food Science & Nutrition*, 6(1), 77-84.
- Sozer, N., 2009. Rheological properties of rice pasta dough supplemented with proteins and gums.
 Food Hydrocolloids 23, 849–855.
- Torres, M. D., Moreira, R., Chenlo, F., & Morel, M. H. (2013). Effect of water and guar gum
 content on thermal properties of chestnut flour and its starch. *Food Hydrocolloids*, 33, 192198.
- 456 Valitutti, F., Iorfida, D., Anania, C., Trovato, C. M., Montuori, M., Cucchiara, S., & Catassi, C.
 457 (2017). Cereal Consumption among Subjects with Celiac Disease: A Snapshot for

458 Nutritional Considerations. *Nutrients*, 9, 396.

- Walker, S., Seetharaman, K., & Goldstein, A. (2012). Characterizing physicochemical changes of
 cookies baked in a commercial oven. *Food Research International*, 48, 249-256.
- 461
- 462

Table 1.WBC and WAI of the used flours and mixtures of flours.

	WBC (g/g)	WAI (g/g)			
M1000	2.50±0.13a	5.14±0.19d			
M500C500	2.20±0.07b	8.31±0.25a			
M200C800	2.09±0.03c	7.70±0.43bc			
C1000	2.05±0.04c	6.83±0.24c			
^a Means in columns followed by different letter differed significantly ($p < 0.05$). Abbreviations: WBC: water binding					

465 capacity; WAI: water absorption index; M1000: 1000 g/kg gluten-free mixture; M500C500: 500 g/kg gluten-free
466 mixture, 500 g/kg chestnut flour; M200C800: 200 g/kg gluten-free mixture, 800 g/kg chestnut flour; C1000: 1000 g/kg

- 467 chestnut flour.
- 468

464

469

470	Table 2. Rheological parameters	(G ',	G ",	, ΤΑΝδ)	of the	doughs at	different	oscillation	frequencies ^a
-----	---------------------------------	---------------	-------------	---------	--------	-----------	-----------	-------------	--------------------------

		0.05 s ⁻¹	
	G' (10 ⁵ Pa)	G" (10 ⁴ Pa)	τανδ
M1000	1.14±0.18 a	9.18±2.25 a	0.80±0.12 a
M500C500	0.34±0.04 bc	2.24±0.31 b	0.66±0.07 b
M200C800	0.28±0.03 c	2.01±0.18 b	0.74±0.06 ab
C1000	0.40±0.05 b	2.61±0.26 b	0.66±0.09 b
		5 s ⁻¹	
	G' (10 ⁵ Pa)	G'' (10 ⁴ Pa)	ΤΑΝδ
M1000	4.51±0.65 a	15.2±2.21 a	0.34±0.02 b
M500C500	1.21±0.15 b	4.16±0.52 c	0.34±0.02 b
M200C800	1.00±0.11b	3.93±0.43 c	0.39±0.01 a
C1000	1.38±0.16 b	5.52±0.65 b	0.40±0.01 a
		10 s ⁻¹	
	G' (10 ⁵ Pa)	G" (10 ⁴ Pa)	ΤΑΝδ
M1000	5.33±0.73a	18.0±0.24 a	0.34±0.02 c
M500C500	1.37±0.17 b	5.27±0.74 bc	0.38±0.02 b
M200C800	1.22±0.14 b	5.06±0.61 c	0.38±0.02 a
C1000	1.60±0.16 b	6.69±0.65 b	0.42±0.01 a

^a Means in column, within the same oscillation frequency group, followed by different letters significantly
differ (p < 0.05) among the four types of dough. Abbreviations: G': elastic modulus; G": viscous modulus;
TANô: G"/ G'; M1000: 1000 g/kg gluten-free mixture; M500C500: 500 g/kg gluten-free mixture, 500 g/kg
chestnut flour; M200C800: 200 g/kg gluten-free mixture, 800 g/kg chestnut flour; C1000: 1000 g/kg chestnut
flour.

477

Table 3. Texture parameters of analysed doughs^a

	Hardness (N)	Springiness	Cohesiveness	Gumminess (N)	Resilience	Adhesivness (Nmm ⁻¹)
M1000	10.58±1.22a	0.11±0.01d	0.17±0.03c	1.79±0.25a	$0.04 \pm 0.002b$	-0.96±0.23bc
M500C500	4.46±0.47c	0.41±0.08a	0.28±0.05a	1.22±0.15b	$0.04{\pm}0.002\text{b}$	-1.07±0.23c
M200C800	5.33±0.45d	$0.31 \pm 0.04b$	0.23±0.02b	1.23±0.11b	$0.04{\pm}0.002b$	-0.78±0.15ab
C1000	9.16±0.86b	0.23±0.02c	$0.20{\pm}0.02b$	1.85±0.14a	0.05±0.002a	-0.67±0.13a

479 ^a Means followed by different letters significantly differ (p < 0.05) among the four types of biscuit. Abbreviations:

480 M1000: 1000 g/kg gluten-free mixture; M500C500: 500 g/kg gluten-free mixture, 500 g/kg chestnut flour; M200C800:

481 200 g/kg gluten-free mixture, 800 g/kg chestnut flour; C1000: 1000 g/kg chestnut flour.

482

483 Table 4. Starch gelatinization peak thermal (DSC) parameters of the of flours and biscuits, with

484 excess of water, at time 0 days.^a

	Ton (°C)	Tp (°C)	Toff (°C)	Enthalpy (Jg ⁻¹)
Flours				
M1000	73.0±3.0b	81.0±1.4a	90.0±1.4a	1.35±0.11a
M500C500	75.4±0.7a	80.8±0.3b	86.5±1.0b	0.93±0.01b
M200C800	65.0±1.1c	70.2±0.7c	77.0±0.1c	$0.54{\pm}0.06c$
C1000	65.2±0.3c	71.3±0.6c	77.5±1.6c	0.55±0.08c
Biscuits				
M1000	72.4±0.1a	78.9±0.1ab	87.4±0.4ab	1.44±0.08a
M500C500	67.6±0.1b	80.7±0.6a	91.1±4.7a	1.30±0.31ab
M200C800	68.0±0.4ab	75.6±0.9b	86.2±0.2b	1.16±0.04b
C1000	67.3±0.9c	74.0±0.8c	81.6±0.8c	0.87±0.051c

^a Means in columns, within the same group (flours or biscuits), followed by different letter differed significantly (p <

486 0.05). Abbreviations: DSC: differential scanning calorimetry; Ton: onset temperature; Toff: offset temperature; Tp:

487 peak temperature; M1000: 1000 g/kg gluten-free mixture; M500C500: 500 g/kg gluten-free mixture, 500 g/kg chestnut

488 flour; M200C800: 200 g/kg gluten-free mixture, 800 g/kg chestnut flour; C1000: 1000 g/kg chestnut flour.

	Time (days)	L*	a*	b^*
M1000	0	87.67±0.96 aA	$0.32 \pm 0.08 \text{ cA}$	12.01±0.68 cA
	7	86.75±1.39 aA	0.23±0.17 c A	12.13±0.28 bA
	15	87.66±0.57 aA	0.33±0.12 d A	12.10±0.58 cA
	30	86.50±3.83 aA	0.28±0.13 cA	11.64±1.00 cA
	60	87.53±1.07 aA	0.42±0.13 cA	11.80±0.56 bA
M500C500	0	66.40±0.60 bAB	6.68±0.39 bA	19.25±0.43 aA
	7	66.72±0.39 bAB	6.27±0.23 bAB	19.04±0.73 aA
	15	64.94±1.11 bB	6.56±0.41 cAB	19.16±0.53 aA
	30	67.40±1.29 bA	6.19±0.39 bAB	19.10±0.79 aA
	60	67.05±2.44 bAB	6.13±0.22 bB	18.70±1.00 aA
M200C800	0	61.92±0.84 cA	7.81±0.20 aA	19.26±0.15 aA
	7	61.57±1.70 cA	8.06±0.48 aA	19.54±0.95 aA
	15	63.12±1.47 bA	7.43±0.37 bA	19.10±1.10 aA
	30	60.43±2.40 cA	8.01±0.50 aA	19.10±0.64 aA
	60	60.02±2.34 bcA	7.25±0.84 aA	18.24±2.84 aA
C1000	0	58.40±0.63 dA	8.04±0.06 aA	17.53±0.44 bA
	7	57.10±2.50 dA	8.10±0.38 aA	18.06±1.73 aA
	15	58.70±1.69 cA	8.10±0.62 aA	17.74±1.01 bA
	30	57.45±2.13 cA	8.03±0.53 aA	16.62±1.95 bA
	60	59.70±4.30 cA	8.00±1.15 aA	18.00±3.00 aA

Table 5. Colorimetric parameters of analysed biscuits during storage^a.

^a Means in column followed by different capital letters indicate significant differences (p < 0.05) measured on a single
type of biscuit during different storage days. Means in column followed by different lowercase letters indicate
significant differences (p < 0.05) between the four biscuit formulations at the same day of storage. Abbreviations: L*:
lightness; a*: greenness; b* yellowness. M1000: 1000 g/kg gluten-free mixture; M500C500: 500 g/kg gluten-free
mixture, 500 g/kg chestnut flour; M200C800: 200 g/kg gluten-free mixture, 800 g/kg chestnut flour; C1000: 1000 g/kg
chestnut flour.

Captions for figures

Figure 1. Moisture content of analysed **biscuits**^a.

Water content (g/kg)



501

^aMeans followed by different capital letters significantly differ (p < 0.05) among different times for the same biscuit.
Means followed by different lowercase letters significantly differ (p < 0.05) among the four types of biscuit at the same storage time. ◆ M1000; □ M200C800; ▲ M500C500; ● C1000 Abbreviations: M1000: 1000 g/kg gluten-free mixture; M500C500: 500 g/kg gluten-free mixture, 500 g/kg chestnut flour; M200C800: 200 g/kg gluten-free mixture, 800 g/kg chestnut flour; C1000: 1000 g/kg chestnut flour.

Figure 2. Hardness (N) (panel a) and distance at rupture point (mm) (panel b) of the analysed
biscuits, obtained by cutting test ^a.





Distance at rupture (mm)



509

^aMeans followed by different capital letters significantly differ (p < 0.05) among different times for the same biscuit. Means followed by different lowercase letters significantly differ (p < 0.05) among the four types of biscuit at the same

a

- 512 storage time. □ 0; □ 7; 15; 30; □ 60 days. Abbreviations: M1000: 1000 g/kg gluten-free mixture; M500C500:
- 513 500 g/kg gluten-free mixture, 500 g/kg chestnut flour; M200C800: 200 g/kg gluten-free mixture, 800 g/kg
- 514 chestnut flour; C1000: 1000 g/kg chestnut flour.