## **ARCHIVIO DELLA RICERCA**

University of	Parma	Research	Repository
---------------	-------	----------	------------

The role of chain length in cucurbit[8]uril complexation of methyl alkyl viologens

This is the peer reviewd version of the following article:

Original
The role of chain length in cucurbit[8]uril complexation of methyl alkyl viologens / Dalcanale, Enrico;
Pedrini, Alessandro: Das. Aniali Devi: Pinalli, Roberta: Hickey, Neal: Geremia, Silvano, - In: FUROPEAN

Pedrini, Alessandro; Das, Anjali Devi; Pinalli, Roberta; Hickey, Neal; Geremia, Silvano. - In: EUROPEAN JOURNAL OF ORGANIC CHEMISTRY. - ISSN 1434-193X. - 10(2021), pp. 1547-1552. [10.1002/ejoc.202100014]

Availability:

This version is available at: 11381/2888305 since: 2024-02-22T13:34:01Z

Publisher:

John Wiley and Sons Inc

Published

DOI:10.1002/ejoc.202100014

Terms of use:

Anyone can freely access the full text of works made available as "Open Access". Works made available

Publisher copyright

note finali coverpage

(Article begins on next page)





# The Role of Chain Length in Cucurbit[8]uril Complexation of Methyl Alkyl Viologens

Alessandro Pedrini,<sup>[a]</sup> Anjali Devi Das,<sup>[a]</sup> Roberta Pinalli,<sup>[a]</sup> Neal Hickey,<sup>[b]</sup> Silvano Geremia,<sup>[b]</sup> and Enrico Dalcanale\*<sup>[a]</sup>

Dedicated to Prof. Franco Cozzi in occasion of his 70th birthday.

Viologens are among the most studied guests for cucurbit[8]uril (CB[8]) and their complexation is usually driven by bipyridyl core inclusion inside the cavity to maximize both hydrophobic and cation-dipole interactions. The presence of alkyl substituents on the guest alters this complexation mode, switching to aliphatic chain inclusion in U-folded conformation. Herein, we report a thorough study of the influence of the alkyl chain length on the binding mode of methyl alkyl viologens. The chain length of the studied guests was increased by two methylene groups starting from methyl dodecyl viologen

(MVC12) to the octadecyl analogue (MVC18). Complexation in water, investigated by NMR spectroscopy and ITC, revealed a clear switch from 1:1 to 2:1 stoichiometry moving from 12 to 16 carbon atoms, as a consequence of the chain folding of the major portion of the longer alkyl chain in one CB[8] cavity and the inclusion of the full viologen unit by another host molecule. The CB[8]<sub>2</sub>\*MVC18 complex crystal structure evidences the unprecedented 2:1 stoichiometry and quantified in 12 the number of carbon atoms necessary to fill the CB[8] cavity in U-shaped conformation.

### Introduction

Cucurbit[n]urils are an important class of molecular receptors featuring exceptional complexation properties in water. [1-5] Their complexation behavior depends on the diameter of the toroidal cavity, defined by the number of glycoluril units connected. Among the CB[n] family, CB[8] stands out as the less predictable in terms of complex stoichiometry, having the ability to form 1:1 binary, [6] 2:1 homoternary, 1:1:1 heteroternary, [7] 2:2 quaternary and 3:2 quinternary complexes, as well as discrete (n:n) host-guest oligomers. [10] The knowledge of the exact binding mode of CB[8] complexes impacts on their assembly mode and on their properties, such as fluorescence emission. [11]

Viologens are among the most studied guests for CB[8] complexation, thanks to their two dicationic positive charges separated by an aromatic hydrophobic region. These cations bind to the carbonyl portals through cation-dipole interactions, while the bipyridine core interacts with the CB[8] cavity via hydrophobic interactions. This bimodal interaction mode leads

to high binding affinity in water. The progenitor methyl viologen (MV), also known as paraquat, binds to CB[8] in a 1:1 stoichiometry with a log K of 5.04.<sup>[12]</sup>

In the solid state, the substitution of the methyl groups with either one or two long aliphatic chains alters the binding mode substantially. For instance, dialkylated viologens form supramolecular polymers by inclusion of two short (C6) alkyl chains from distinct molecules in one CB[8] cavity. [13] Analogously, connecting two viologen cores with linear alkyl chains (C6 and C8) leads to the formation of a novel supramolecular polymer with two CB[8] hosts involved in guest complexation: one threads the alkyl spacer between the aromatic cores while the other is involved in the propagation of the supramolecular polymer by complexing two terminal butyl chains of distinct guest molecules. [14]

In aqueous solution, MV derivatives are typically used as electron-deficient acceptor molecule in the construction of heteroternary complexes with a second electron-rich guest. [7] As unique characteristic of CB[8], the formation of these complexes by host-enhanced charge transfer has been extensively exploited as a "molecular handcuff" [15] for the permanent linking of extended architectures. [16-18] In particular, ditopic viologenbased monomers have been involved in the preparation of both linear and cyclic supramolecular polymers,[19-22] while the decoration of polymeric backbones<sup>[23-25]</sup> and surfaces<sup>[26,27]</sup> with appended viologen units revealed to be extremely efficient in the preparation of supramolecular hydrogels and adhesives. Moreover, asymmetrically alkylated viologens can provide, by heteroternary complexation, supramolecular amphiphiles that are capable to convert micelles in vesicles.[28-32] In all these applications the viologen species interact with CB[8] mainly with their aromatic core. Methyl decyl viologen, instead, forms a 1:1 host-guest complex with CB[8], where the long alkyl

Parco Area delle Scienze 17/A, 43124 Parma, Italy E-mail: enrico.dalcanale@unipr.it

www.dalcanalegroup.unipr.it

[b] Dr. N. Hickey, Prof. S. Geremia Centre of Excellence in Biocrystallography, Department of Chemical and Pharmaceutical Sciences University of Trieste

Via L. Giorgieri 1, 34127 Trieste, Italy

Supporting information for this article is available on the WWW under https://doi.org/10.1002/ejoc.202100014

Part of the "Franco Cozzi's 70th Birthday" Special Collection.

Eur. J. Org. Chem. 2021, 1-7 Wiley Online Library

<sup>[</sup>a] Dr. A. Pedrini, Dr. A. Devi Das, Prof. R. Pinalli, Prof. E. Dalcanale Department of Chemistry, Life Science and Environmental Sustainability University of Parma Parco Area delle Scienze 17/A, 43124 Parma, Italy



chain is in a folded conformation inside the host cavity. <sup>[33]</sup> The C10 chain adopts a U-shaped conformation inside the CB[8] cavity while the viologen group resides outside the CB[8] cavity, as confirmed by X-ray crystal structure analysis.

A deep understanding of complexation modes and equilibria involved in alkyl viologens complexation by CB[8] is of high interest for the control of the above mentioned self-assembled architectures. In particular, the dual capability of these guest to interact with the cavity with either their aromatic core or the folded aliphatic chain needs to be further investigated. Here we report the analysis of the influence of the alkyl chain length on the binding mode of methyl alkyl viologens with CB[8] (Scheme 1). In water, a clear switch from 1:1 to 2:1 stoichiometry is observed upon moving from 12 to 16 carbon atoms. This switch is attributed to the longer alkyl chain, which allows both the chain folding in one CB[8] cavity and the viologen binding by another.

### **Results and Discussion**

Synthesis of the host and the guests. CB[8] was prepared by acid-catalyzed condensation of glycoluril with formaldehyde and purified by repeated precipitations following a well-established reported procedure. To determine the influence of alkyl chain length in the complexation with CB[8], four methyl viologens derivatives (MVCn, Scheme 1) were synthesized following literature procedures. The guests were obtained as iodidebromide salts reacting 1-methyl-4-bipyridinium iodide with the corresponding alkyl bromide. The chain length was increased each time by two methylene groups starting from dodecyl methyl viologen (MVC12) to the octadecyl analogue (MVC18). These guests were used as synthesized for crystals growth experiments. To increase their limited solubility in water, the counterions were exchanged with chlorides before performing solution experiments.

Solution studies. The influence of the alkyl chain length extension in MVCn complexation by CB[8] in solution was

Scheme 1. Structure of cucurbit[8]uril (CB[8]) and methyl alkyl viologen dichloride salts (MVCn) involved in this study.

investigated *via* nuclear magnetic resonance (NMR) spectroscopy and isothermal titration calorimetry (ITC).

NMR titration experiments were performed recording  $^1H$  NMR spectra of a 0.3 mM solution of **MVCn** salts in D<sub>2</sub>O in the presence of incremental equivalents of **CB[8]** (Figure S1-3 and Figure 1).

The complexation of MVC12 follows a trend similar to the one reported for the decyl counterpart up to 1 eq of CB[8],<sup>[15]</sup> leading

to the formation of a complex with a 1.1 stoichiometry. The addition of the second equivalent causes a further upfield of the viologen signals, indicating a deeper inclusion of this part in the cavity balanced by a small downfield shift of the signals related to aliphatic protons (Figure S1), with no evidence of complexation stoichiometry perturbation. NMR titration of MVC14 presents a similar trend (Figure S2). When present in deficit (0.5 eq) CB[8] is prone to interact with both terminus of the molecule, leaving the signals of the central methylene groups (1-3) almost unaltered. The system then moves to a 1:1 complex that includes only the U-folded alkylated end of the viologen upon increasing the concentration of the CB[8] up to 2 eq. The titration outcome is completely different with longer MCVn counterparts: the addition of 0.5 eq of the host causes the broadening of MVC18 signals (Figure 1b), as already observed for similar guests in fast exchange between bound and unbound forms. [8] When CB[8] is present in equimolar amount, instead, the guest signals present a more defined pattern (Figure 1c): the peaks of the aliphatic portion are shifted upfield and tends to differentiate one from the other, while signals for the viologen unit are split over more than 1 ppm region. These complexation-induced shifts are consistent with a 1:1 complex bearing a U-shaped alkyl tail, as already observed for methyl alkyl viologen salts with shorter chains. In the case of MVC18, however, the terminal CH<sub>3</sub> group does not reach negative ppm indicating that the methyl group is less buried inside the CB[8] cavity. The addition of a second equivalent of the host further modifies the NMR spectrum of the solution




Figure 1. <sup>1</sup>H NMR (600 MHz, D<sub>2</sub>O, 278 K) spectra of 0.3 mM solution of free guest MVC18 (a) and in the presence of 0.5 (b), 1.0 (c) and 2.0 (d) equivalents of CB[8]. Colored dotted lines are added to guide the reader.



(Figure 1d). The triplet of methylene 1, which was upfield shifted in the previous spectra as a consequence of its inclusion in the CB[8] cavity via interactions between the positively charged nitrogen atom of the guest and the carbonyl groups present at the host rims, returns to its initial position indicating the decomplexation of this part of the guest. The increased perturbation of viologen signals suggests a deeper inclusion of this part in the host cavity. Interestingly, the signals of CB[8] external protons are also split, indicating two different complexation modes for the host. MVC16 follows a similar behavior, with NMR spectra compatible with a 2:1 complex (Figure S3).

ITC experiments were performed to further assess complex stoichiometries, together with thermodynamic parameters  $\Delta H_{i}$  $K_{a}$ ,  $\Delta G$ , and  $\Delta S$  associated with the complexation processes. Due to the limited CB[8] solubility in water, these titration were performed in a reverse fashion compared to NMR titration: to a 0.1 mM water solution of CB[8] placed in the cell, 38 aliquots of a 1.0 mM solution of each MVCn were added to reach molar ratios close to 2 (Figure S4-7). Integration of the peaks obtained from the heat released as a consequence of the complexation event afforded the binding curve. The binding isotherms of the integrated calorimetric titration data of each guest are




Figure 2. Binding isotherms resulting from calorimetric titration data for CB[8] and methyl alkyl viologen dichloride salts (MVCn). The integrated heat change per injection, normalized by the amount of guest injected, is reported as a function of the molar ratio of guest/host in the sample cell for all the four studied systems.

compared in Figure 2. For all the four titrations, two inflection points are detectable, one at molar ratio close to 0.5 and the other at 1. These steps-like curves are ascribable to the presence of two different interaction mechanisms, through the viologen unit and through the alkyl chain, on MVCn molecules, which therefore behave as bifunctional guests.

The marked preference for the formation of a 1:1 complex for MVC12 is clearly evidenced by the negligible contribution of the first event in the titration. The best fitting for this curve was obtained applying a "one set of sites" model, as reported in Table 1

In the case of MVC18 and MVC16, which present similar curve shapes, 2:1 complexes are formed in solution with the inclusion of both the viologen and the folded chain. The first binding event occurs in the presence of 2 eq. of CB[8] for each guest (situation analogous to the last spectrum in NMR experiments). Further addition of the guest causes the reorganization of the system towards the formation of a 1:1 complex comprising the U-shaped alkyl chain. This process is completed at molar ratios higher than 1 (second inflection point). The MVC14 curve, instead, presents an intermediate situation. Following these considerations, we decided to apply the "two sets of sites" model to the fitting of the binding curves. The variation of these contributions for the two events along the series nicely matches the effect of the longer alkyl chain, which promotes the 2:1 complex stoichiometry.

Further support to the formation of 2:1 complexes in water was obtained by Diffusion Ordered Spectroscopy (DOSY) NMR. DOSY-NMR is a well-established technique for the estimation of hydrodynamic radius (r) of supramolecular assemblies in solution. From measured diffusion coefficients (D), r can be calculated applying the Stokes-Einstein equation ( $D = k_b T / 6\pi \eta r$ ) with the assumption that the species in solution is spherical.

DOSY-NMR experiments were performed on 0.3 mM solution of MVCn salts in D<sub>2</sub>O in the presence of 2 equivalents of CB[8]. The obtained r value, which accounts for the whole solvation sphere of the species, are reported in Table 2. Diffusion coefficients measured with MCV16 and MCV18 guests are in line with those observed for 2:2 complexes<sup>[10]</sup> and the calculated hydrodynamic radii nicely match with the involvement of two macrocycles in the formation of the supramolecular entities. On the other hand, the r value obtained upon complexation of MVC12 is in agreement with the formation of a smaller 1:1 complex, even in the presence of

Table 1.	Thermodynamic data obtained from ITC experiments for	or the complexation of M'	VCn as guest with CB[8]	as host, measured in wat	er solution at
298 K. <sup>[a</sup> ]					

Guest	n	$K_{\rm a}  [{\rm M}^{-1}]$	$\Delta H$ [kJ/mol]	$\Delta G$ [kJ/mol]	$T\Delta S$ [kJ/mol]
MVC12	1.12 (±0.02)	7.3 (±0.3)×10 <sup>6</sup>	−39.2 (±0.8) /	−39.1 (±0.5) /	−0.11 (±0.03)
MVC14	1.07 (±0.02) 0.91 (±0.01)	4.8 (± 0.2)×10 <sup>4</sup> 9.1 (± 0.8)×10 <sup>6</sup>		_26.7 (±0.1) _39.6 (±0.3)	9.4 (± 0.3) 2.1 (± 0.2)
MVC16	1.09 ( $\pm$ 0.01) 0.97 ( $\pm$ 0.02)	$9.7 (\pm 0.2) \times 10^4$ $8.6 (\pm 0.9) \times 10^7$	$-25.2~(\pm0.7) \\ -33.3~(\pm0.3)$	$-28.3~(\pm 0.5)$ $-45.4~(\pm 0.3)$	3.2 ( $\pm$ 0.9) 11.8 ( $\pm$ 0.1)
MVC18	1.08 ( $\pm$ 0.01) 0.97 ( $\pm$ 0.01)	$1.4 (\pm 0.4) \times 10^5$ $2.4 (\pm 0.5) \times 10^7$	$-22.5~(\pm1) \ -32.3~(\pm0.4)$	$-29.4~(\pm0.8)\ -42.2~(\pm0.7)$	6.9 ( $\pm$ 0.2) 8.9 ( $\pm$ 0.3)

[a] Reported error values correspond to the standard deviation of at least three different measurements.



<b>Table 2.</b> Diffusion coefficients ( <i>D</i> ) and hydrodynamic radius ( <i>r</i> ) obtained for DOSY-NMR experiments.			
	$D [m^2/s]$	r [Å]	
CB[8]*MVC12 CB[8]*MVC14 CB[8]2*MVC16 CB[8]2*MVC18	2.7 $(\pm 0.1) \times 10^{-10}$ 1.9 $(\pm 0.1) \times 10^{-10}$ 1.6 $(\pm 0.1) \times 10^{-10}$ 1.5 $(\pm 0.1) \times 10^{-10}$	8 11 13 14	

an excess of CB[8]. For MVC14, instead, an intermediate diffusion coefficient value was obtained, suggesting the presence of an equilibrium between the two complexation modes.

*Crystal structures.* The observation of a well-defined 2:1 stoichiometry for the complexation of **MVC18** in solution prompted us to investigate the nature of this complex in the solid state.

Small pale pink single crystals of CB[8]2 MVC18 were analyzed at the XRD1 beamline of the Elettra synchrotron using cryo-cooling techniques. The asymmetric unit of the monoclinic crystals (P2<sub>1</sub> space group) contains one 2:1 CB[8]<sub>2</sub>\*MVC18 complex with its four bromine counter-ions and 44.5 water molecules. The aromatic head of MVC18 is complexed by one CB[8] molecule, while the last 12 carbon atoms of the aliphatic tail are hosted by the second macro-ring, adopting a hook-like conformation (Figure 3a). The terminal pyridinium group of MVC18 interacts with the carbonyl groups of CB[8] through charge-dipole interactions, with the shortest N···O distance of 3.32 Å. The viologen group is hosted by an ideal D8<sub>h</sub> symmetric CB[8] molecule in an asymmetric manner, with the center of the host at 1.68 Å from the pyridine mean plane. This pyridine plane is oriented orthogonally with respect to the mean plane of the portal oxygen atoms (89.5°). The N atom is located inside the macro-ring at a distance of 0.71 Å from this CB[8] portal




Figure 3. Stick representations of the crystal structure of CB[8]<sub>2</sub>\*MVC18. a) side view of the 2:1 CB[8]<sub>2</sub>\*MVC18 complex presents in the asymmetric unit. b) orthogonal views of the square arrangement of the four 2:1 complexes surrounding the MVC18 alkyl chain of the central 2:1 complex. Two pairs of the complexes are overlapped in the side view. c) Crystal packing, as viewed along the ac direction. The atomic species are represented in CPK colors with the exception of the MVC18 carbon atoms, which are colored in green. Hydrogen atoms, water molecules and counter-anions are omitted for clarity.



plane. The two pyridinium moieties of the viologen group are mutually rotated by 31.4°. The internal pyridinium group also interacts with the carbonyl groups of CB[8], with the shortest N···O distance of 3.38 Å. However, its positively charged N atom is located outside the macro-ring at a distance of 1.29 Å from the second CB[8] portal plane (Figure 3a). For comparison, in the previous reported 1:1 CB[8]\*MVC10 the complexation of the viologen group is completely different.<sup>[33]</sup> In that case, the viologen moiety is partially outside the macro ring (the out of plane distance of the terminal positive N atom from the Oportal is 2.06 Å) and is leaning to its portal with an angle of about 37°.

The aliphatic chain of **MVC18** assumes a chiral helical conformation with the above-mentioned hook-shaped terminal (Figure 3b). The complete conformation of the alkyl chain is  $A^+ - T^- - G^- - T^+ - G^- - T^+ - T^- - T^- - G^- - G^- - T^+ - G^- - G^- - T^+ - A^- - C^+ - A^-$  (C = cis, G = gauche, A = anticlinal, T = trans, with the sign of the torsion angle in superscript) with the position of the last nine carbon atoms affected by high anisotropic thermal motions. An analogous U-shape conformation of the terminal part of the alkyl chain was observed in several complexes of **CB[8]** with alkyl-derivatives featuring long linear chains. [36,37]

The absolute chirality of the non-centrosymmetric P2<sub>1</sub> crystal was determined by the Flack parameter of 0.104(3) using 15869 quotients [(I+)-(I-)]/[(I+)+(I-)]. A chiral conformation assumed by a guest within this  $D8_h$  symmetric host is not unprecedented. [36,38,39] The crystals of three different host–guest complexes between **CB[8]** and alkyltrimethylammonium ions  $(C_8TA^+, C_{10}TA^+)$  and  $C_{12}TA^+)$  all belong to the non-centrosymmetric P2<sub>1</sub> space group. [36]

In the present structure, the distance between the two facing CB[8] portals of the 1:2 complex is 8.15 Å. The open space, 5.11 Å wide (considering the vdW radii of the O atoms), which contains the central alkyl chain of MVC18, is only partially filled by a square arrangement of four surrounding CB[8] hosts (Figure 3b). In fact, the height of the CB[8] molecules is significantly larger than the open space between the facing CB[8] portals (mean value of 9.18 Å considering the vdW radii of the O atoms). This arrangement produces a 2D assembly of the 2:1 complexes lying on the ac plane of the crystal (Figure 3c). Alternate slices of this 2D assembly, symmetrically related by 21 screw axes, pack orthogonally along the b direction of the crystal (Figure 3c). Therefore, this crystal packing stabilizes the conformation of the central MVC18 alkyl chain and the overall architecture of the 2:1 complex with two aligned host molecules.

## Conclusion

The present work clarifies the role of the alkyl chain length on the complexation mode of methyl alkyl viologens by **CB**[8]. The primary interaction mode is the U-shaped folding of the alkyl chain within one **CB**[8], which requires 12 methylene units to fill the cavity, as shown by the crystal structure of **CB**- $[8]_2$ \*MVC18. The  $K_a$  of this complexation is in the range  $10^6-10^7$  M $^{-1}$ , as determined by ITC measurements. The inclusion of

the methyl viologen unit by another **CB[8]** requires the presence of at least four additional methylene units to be fully effective. Shorter linkers make this second interaction sterically unfavorable. Accordingly, ITC measurements show a progressive increase of this second complexation event from  $4.8 \times 10^4$  to  $1.4 \times 10^5$  M $^{-1}$  moving from **MVC14** to **MVC18**. The 2:1 complexation mode is operative both in solution and in the solid state for **MVC18**, as demonstrated by the combination of NMR and ITC titrations, DOSY measurements and the crystal structure of **CB[8]**<sub>2</sub> **MVC18**.

## **Experimental Section**

Synthesis. All starting materials were purchased from commercial sources and used as received. **CB[8]** was synthetized and purified following a published procedure. <sup>[34]</sup> Its purity was determined to be 80% via ITC, titrating a solution of **CB[8]** in sodium acetate buffer (pH=4.65) with 1-adamantylamine. <sup>[8]</sup> **MVCn** guests were obtained ad bromide salts reacting 1-methyl-4-bipyridinium iodide with the corresponding alkyl bromide, following a previously reported procedure. <sup>[35]</sup> For solution studies in water, the counterions were exchanged with chlorides by passing methanol solutions of the guests through Amberlite \*IRA-400 resin (chloride form).

Single-crystal X-ray diffraction spectroscopy (SC-XRD). Single crystals suitable for an X-ray investigation were obtained by slowly cooling a boiling water solution of CB[8] and MVC18. Data collection was carried out at the Macromolecular crystallography XRD1 beamline of the Elettra synchrotron (Trieste, Italy), employing the rotatingcrystal method with a Dectris Pilatus 2 M area detector. Single crystals were dipped in paratone cryoprotectant, mounted on a nylon loop and flash-frozen under a nitrogen stream at a 100 K. Diffraction data were indexed and integrated using the XDS package, [40] while scaling was carried out with XSCALE. [41] Structures was solved using the SHELXT program. [42] The asymmetric unit of the monoclinic (P2, space group) crystals of CB[8], MVC18 is composed of two CB[8] molecules, one MV18 molecule, two bromine counter-ions statistically distributed over 6 sites and 44.5 partially disordered water molecules. The structure was refined with SHELXL-18/3, [43] operating through the WinGX GUI, [44] by full-matrix least-squares (FMLS) methods on F2. Non-hydrogen atoms were refined anisotropically, with the exception of some water molecules with occupancy factors below 0.5. Excluding the water molecules, hydrogen atoms were added at the calculated positions and refined using the riding model. Crystallographic data and refinement details are reported in Table S1.

Nuclear magnetic resonance spectroscopy (NMR). <sup>1</sup>H NMR spectra were obtained using a 400 MHz Bruker AVANCE or a 600 MHz JEOL spectrometer. All chemical shifts (Δ) were reported in ppm relative to the proton resonances resulting from the incomplete deuteration of the NMR solvents. Diffusion-ordered NMR spectroscopy (DOSY) spectra were acquired at 17.6°C on a 600 MHz JEOL spectrometer. The spectra were acquired with a bbp\_led\_dosy\_pfg sequence with gradient spoiling, using 800 scans. The gradient strength was logarithmic incremented of 14 steps from 30 to 600 mT/m. Diffusion time was set to 0.12 s, delta was 2 ms and the relaxation delay was 10 s. Diffusion coefficient values were obtained by fitting peak intensity decays in Delta 5.3.0 software using the curve analysis option.

Isothermal titration calorimetry (ITC). Titrations were performed in water at 25 °C on a MicroCal PEAQ-ITC System. The ITC titrations were performed by adding incremental amounts of **MVCn** to a solution of **CB[8]** placed in the cell of the calorimeter. Stoichiometry



and thermodynamic parameters were calculated as the average of three experiments. The heat released upon binding was tracked against time (top trace). To account for unspecific heats of dilution, **MVCn** were also titrated into pure water (blank titrations) affording no significant heat.

Deposition Number 2033336 (for CB[8]<sub>2</sub>•MVC18) contains the supplementary crystallographic data for this paper. These data are provided free of charge by the joint Cambridge Crystallographic Data Centre and Fachinformationszentrum Karlsruhe Access Structures service www.ccdc.cam.ac.uk/structures.

## **Acknowledgements**

This work has benefited from the equipment and framework of the COMP-HUB Initiative, funded by the 'Departments of Excellence' program of the Italian Ministry for Education, University and Research (MIUR, 2018–2022). The authors acknowledge for financial support MIUR through the PRIN project 20179BJNA2. The authors acknowledge the Centro Interfacoltà di Misure "G. Casnati" of the University of Parma for the use of NMR facilities and Dr. Stefano Ghelli for the support in DOSY experiments. AP acknowledges Prof. Pablo Ballester for the fruitful discussion on ITC measurements.

## Conflict of Interest

The authors declare no conflict of interest.

**Keywords:** Complex stoichiometry · Crystal structure · Cucurbit [8]uril · Host-quest complexation · Viologens

- [1] J. W. Lee, S. Samal, N. Selvapalam, H. J. Kim, K. Kim, Acc. Chem. Res. 2003, 36, 621–630.
- [2] J. Lagona, P. Mukhopadhyay, S. Chakrabarti, L. Isaacs, Angew. Chem. Int. Ed. 2005, 44, 4844–4870; Angew. Chem. 2005, 117, 4922–4949.
- [3] E. Masson, X. Ling, R. Joseph, L. Kyeremeh-Mensah, X. Lu, RSC Adv. 2012, 2, 1213–1247.
- [4] S. J. Barrow, S. Kasera, M. J. Rowland, J. Del Barrio, O. A. Scherman, Chem. Rev. 2015, 115, 12320–12406.
- [5] K. I. Assaf, W. M. Nau, Chem. Soc. Rev. 2015, 44, 394-418.
- [6] D. Sigwalt, M. Šekutor, L. Cao, P. Y. Zavalij, J. Hostaš, H. Ajani, P. Hobza, K. Mlinarić-Majerski, R. Glaser, L. Isaacs, J. Am. Chem. Soc. 2017, 139, 3249–3258
- [7] Y. H. Ko, E. Kim, I. Hwang, K. Kim, Chem. Commun. 2007, 1305–1315.
- [8] G. Wu, M. Olesińska, Y. Wu, D. Matak-Vinkovic, O. A. Scherman, J. Am. Chem. Soc. 2017, 139, 3202–3208.
- [9] G. Wu, I. Szabó, E. Rosta, O. A. Scherman, Chem. Commun. 2019, 55, 13227–13230.

- [10] X. Yang, R. Wang, A. Kermagoret, D. Bardelang, Angew. Chem. Int. Ed. 2020, 59, 21280–21292.
- [11] X. Zhang, T. Sun, X.-L. Ni, Org. Chem. Front. 2020, DOI 10.1039/ d0qo00649a.
- [12] W. S. Jeon, H. J. Kim, C. Lee, K. Kim, Chem. Commun. 2002, 1828-1829.
- [13] X. Xiao, R. L. Lin, L. M. Zheng, W. Q. Sun, Z. Tao, S. F. Xue, Q. J. Zhu, J. X. Liu, RSC Adv. 2014, 4, 53665–53668.
- [14] X. Xiao, N. Sun, D. Qi, J. Jiang, Polym. Chem. 2014, 5, 5211-5217.
- [15] U. Rauwald, O. A. Scherman, Angew. Chem. Int. Ed. 2008, 47, 3950–3953; Angew. Chem. 2008, 120, 4014–4017.
- [16] J. Liu, C. S. Y. Tan, Y. Lan, O. A. Scherman, Macromol. Chem. Phys. 2016, 217, 319–332.
- [17] E. Pazos, P. Novo, C. Peinador, A. E. Kaifer, M. D. García, Angew. Chem. Int. Ed. 2019, 58, 403–416.
- [18] H. Zou, J. Liu, Y. Li, X. Li, X. Wang, Small 2018, 14, 1-19.
- [19] H. Qian, D. S. Guo, Y. Liu, Chem. A Eur. J. 2012, 18, 5087-5095.
- [20] Y. Liu, H. Yang, Z. Wang, X. Zhang, in Chem. An Asian J., John Wiley & Sons, Ltd, 2013, pp. 1626–1632.
- [21] Z. Ji, J. Liu, G. Chen, M. Jiang, Polym. Chem. 2014, 5, 2709–2714.
- [22] Z. Ji, J. Li, G. Chen, M. Jiang, ACS Macro Lett. 2016, 5, 588-592.
- [23] E. A. Appel, F. Biedermann, U. Rauwald, S. T. Jones, J. M. Zayed, O. A. Scherman, J. Am. Chem. Soc. 2010, 132, 14251–14260.
- [24] C. S. Y. Tan, J. Liu, A. S. Groombridge, S. J. Barrow, C. A. Dreiss, O. A. Scherman, *Adv. Funct. Mater.* **2018**, *28*, 1702994.
- [25] J. Liu, C. S. Y. Tan, O. A. Scherman, Angew. Chem. Int. Ed. 2018, 57, 8854–8858.
- [26] F. Tian, N. Cheng, N. Nouvel, J. Geng, O. A. Scherman, *Langmuir* 2010, 26, 5323–5328.
- [27] P. E. Williams, Z. Walsh-Korb, S. T. Jones, Y. Lan, O. A. Scherman, Langmuir 2018, 34, 13104–13109.
- [28] Y. J. Jeon, P. K. Bharadwaj, S. W. Choi, J. W. Lee, K. Kim, Angew. Chem. Int. Ed. 2002, 41, 4474–4476; Angew. Chem. 2002, 114, 4654–4656.
- [29] L. Yang, H. Yang, F. Li, X. Zhang, Langmuir 2013, 29, 12375–12379.
- [30] J. H. Mondal, S. Ahmed, D. Das, Langmuir 2014, 30, 8290-8299.
- [31] J. H. Mondal, T. Ghosh, S. Ahmed, D. Das, Langmuir 2014, 30, 11528– 11534
- [32] J. H. Mondal, S. Ahmed, T. Ghosh, D. Das, Soft Matter 2015, 11, 4912– 4920
- [33] Y. H. Ko, I. Hwang, H. Kim, Y. Kim, K. Kim, Chem. Asian J. 2015, 10, 154– 159
- [34] J. Kim, I. S. Jung, S. Y. Kim, E. Lee, J. K. Kang, S. Sakamoto, K. Yamaguchi, K. Kim, *J. Am. Chem. Soc.* **2000**, *122*, 540–541.
- [35] M. C. Grenier, R. W. Davis, K. L. Wilson-Henjum, J. E. Ladow, J. W. Black, K. L. Caran, K. Seifert, K. P. C. Minbiole, *Bioorg. Med. Chem. Lett.* 2012, 22, 4055–4058.
- [36] Y. H. Ko, H. Kim, Y. Kim, K. Kim, Angew. Chem. 2008, 120, 4174–4177; Angew. Chem. Int. Ed. 2008, 47, 4106–4109.
- [37] K. Baek, Y. Kim, H. Kim, M. Yoon, I. Hwang, Y. H. Ko, K. Kim, Chem. Commun. 2010, 46, 4091–4093.
- [38] R. Aav, K. A. Mishra, Symmetry 2018, 10, 98.
- [39] X. Xiao, J. X. Liu, Z. F. Fan, K. Chen, Q. J. Zhu, S. F. Xue, Z. Tao, Chem. Commun. 2010, 46, 3741–3743.
- [40] W. Kabsch, Acta Crystallogr. D. Biol. Crystallogr. 2010, 66, 125–32.
- [41] W. Kabsch, Acta Crystallogr. Sect. D 2010, 66, 133–144.
- [42] G. M. Sheldrick, Acta Crystallogr. Sect. A 2015, 71, 3-8.
- [43] G. M. Sheldrick, Acta Crystallogr. Sect. A . 2008, 64, 112–122.
- [44] L. J. Farrugia, J. Appl. Crystallogr. 2012, 45, 849–854.

Manuscript received: January 7, 2021 Revised manuscript received: February 3, 2021 Accepted manuscript online: February 10, 2021

## **FULL PAPERS**



The influence of alkyl chain length on the binding mode of four methyl alkyl viologens (MVCn with n = 12,14,16,18) with cucurbit[8]uril (CB[8]) was investigated in water, revealing a clear switch from 1:1 to 2:1 stoichiometry

moving from 12 to 16 carbon atoms. An unprecedented evidence of the 2:1 stoichiometry in the solid state was obtained by crystal structure determination of CB[8]<sub>2</sub>—MVC18 complex.

Dr. A. Pedrini, Dr. A. Devi Das, Prof. R. Pinalli, Dr. N. Hickey, Prof. S. Geremia, Prof. E. Dalcanale\*

1 - 7

The Role of Chain Length in Cucurbit[8]uril Complexation of Methyl Alkyl Viologens





## ## SPACE RESERVED FOR IMAGE AND LINK

Share your work on social media! *EurJOC* has added Twitter as a means to promote your article. Twitter is an online microblogging service that enables its users to send and read short messages and media, known as tweets. Please check the pre-written tweet in the galley proofs for accuracy. If you, your team, or institution have a Twitter account, please include its handle @username. Please use hashtags only for the most important keywords, such as #catalysis, #nanoparticles, or #proteindesign. The ToC picture and a link to your article will be added automatically, so the **tweet text must not exceed 250 characters**. This tweet will be posted on the journal's Twitter account (follow us @EurJOC) upon publication of your article in its final (possibly unpaginated) form. We recommend you to re-tweet it to alert more researchers about your publication, or to point it out to your institution's social media team.

### **ORCID** (Open Researcher and Contributor ID)

Please check that the ORCID identifiers listed below are correct. We encourage all authors to provide an ORCID identifier for each coauthor. ORCID is a registry that provides researchers with a unique digital identifier. Some funding agencies recommend or even require the inclusion of ORCID IDs in all published articles, and authors should consult their funding agency guidelines for details. Registration is easy and free; for further information, see http://orcid.org/.

Prof. Enrico Dalcanale http://orcid.org/0000-0001-6964-788X

Dr. Neal Hickey

Dr. Alessandro Pedrini

Prof. Roberta Pinalli

Prof. Silvano Geremia

Dr. Anjali Devi Das