

Ait-Iklef A, Hantaz-Ambroise D, Jacque C, Belkadi L, Rieger F. Astrocyte proliferation induced by wobbler astrocyte conditioned medium is blocked by Tumor Necrosis factor α (TNF α) and Interleukin 1 β (IL-1 β) neutralizing antibodies in vitro. *Cell Mol Biol* 1999; 45: 393-400.

Altman J. Autoradiographic and histological studies of postnatal neurogenesis. II. A longitudinal investigation of the kinetics, migration and transformation of cells incorporating tritiated thymidine in infant rats, with special reference to postnatal neurogenesis in some brain regions. *J. Comp. Neurol.* 1966; 431-74.

Altman J. Autoradiographic and histological studies of postnatal neurogenesis. IV. Cell proliferation and migration in the anterior forebrain, with special reference to persisting neurogenesis in the olfactory bulb. *J. Comp. Neurol.* 1969; 137:433-457.

Altman J, Das GD. Autoradiographic and histological evidence of postnatal hippocampal neurogenesis in rats. *J Comp Neurol* 1965; 124:319-335.

Alvarez-Buylla A, Garcia-Verdugo JM, Tramontin AD. A unified hypothesis on the lineage of neural stem cells. *Nat Rev Neurosci* 2001; 2: 287-293.

Alvarez-Buylla A, Lim DA. For the long run: maintaining germinal niches in the adult brain. *Neuron* 2004; 41: 683-686.

Andrews JM. The fine structure of the cervical spinal cord, ventral root and brachial nerves in the wobbler (wr) mouse. *J Neuropathol Exp Neurol* 1975 ; 34 : 12-27.

Andrews JM, Gardner MB, Wolfgram FD, Ellison GW, Porter DD, Brandkamp WW. Studies on a murine form of spontaneous lower motor neuron degeneration- the wobbler (wr) mouse. *Am J Pathol* 1974; 76: 63-78.

Arvidsson A, Collin T, Kirik D, Kokaia Z, Lindvall O. Neuronal replacement from endogenous precursors in the adult brain after stroke. *Nat Med* 2002; 8: 963-970.

Balordi F, Fishell G. Mosaic removal of hedgehog signaling in the adult SVZ reveals that the residual wild-type stem cells have a limited capacity for self-renewal. *J Neurosci* 2007; 27: 14248-14259.

Bergmeyer HU e Bent E. Lactate dehydrogenase. *Methods in Enzymatic analysis (Bergmeyer H.U. ed.) Academic Press, New York 1974; 2: 574-579.*

Bez A, Corsini E, Curti D, Bigioggera M, Colombo A, Nicosia RF, Pagano SF, Parati EA. Neurosphere and neurosphere-forming cells: morphological and ultrastructural characterization. *Brain Res 2003; 993:18-29.*

Bird MT, Koestner A, Reinglass J. The wobbler mouse mutant: an animal model of hereditary motor system disease. *Acta Neuropathol 1971; 19: 39-50.*

Blondet B, Hantaz-Ambroise D, Ait-Ikhlef A, Cambier D, Murawsky M, Rieger F. Astrocytosis in wobbler mouse spinal cord involves a population of astrocytes which is glutamine synthetase-negative. *Neurosci Lett 1995; 183: 179-182.*

Bjorklund A, Lindvall O. Parkinson disease gene therapy moves toward the clinic. *Nat Med 2000; 6: 1207-1208.*

Boilèe S, Viala L, Peschanski M, Dreyfus PA. Differential microglial response to progressive neurodegeneration in the murine mutant wobbler. *Glia 2001; 33:277-287.*

Boilèe S, Berruti G, Meccariello R, Grannec G, Razan F, Pierantoni R, Fasano S, Junier MP. Early defect in the expression of mouse sperm DnaJ 1, a member of the DnaJ /heat shock protein 40 chaperone protein family, in the spinal cord of the wobbler mouse, a murine model of motoneuronal degeneration. *Neuroscience 2002; 113: 825-835.*

Capela A, Temple S. LeX/ssea-1 is expressed by adult mouse CNS stem cells, identifying them as nonependymal. *Neuron 2002; 35:865-875.*

Chambers CB, Peng Y, Nguyen H, Gaiano N, Fishell G, Nye JS. Spatiotemporal selectivity of response to Notch1 signals in mammalian forebrain precursors. *Development 2001; 128: 689-702.*

Chi L, Ke Y, Luo C, Li B, Gozal D, Kalyanaraman B, Liu R. Motor Neuron Degeneration Promotes Neural Progenitor Cell Proliferation, Migration, and Neurogenesis in the Spinal Cords of Amyotrophic Lateral Sclerosis Mice. *Stem Cells 2006; 24: 34-43.*

Chiasson BJ, Tropepe V, Morshead CM, Van der Kooy D. Adult mammalian forebrain ependymal and subependymal cells demonstrate proliferative potential but only subependymal cells have neural stem cells characteristics. *J Neurosci* 1999; 19: 4462-4471.

Clement AM, Nguyen MD, Roberts EA, Garcia ML, Boilée S, Rule M, McMahon AP, Doucette W, Siwek D, Ferrante RJ, Brown RH Jr, Julien JP, Goldstein LS, Cleveland DW. Wild-type non neuronal cells extend survival of SOD1 mutant motor neurons in ALS mice. *Science* 2003; 302: 113-117.

Clowry GL and mHanweell S. Expression of nitric oxide synthase by motor neurones in the spinal cord of the mutant mouse wobbler. *Neurosci Lett.* 1996; 215: 177-180.

Comoletti D, Muzio V, Capobianco A, Ravizza T, Mennini T. Nitric oxide produced by non-motoneuron cells enhances rat embryonic motoneuron sensitivity to excitotoxins: comparison in mixed neuron/glia or purified cultures. *J Neurol Sci* 2001; 192: 61-69.

Conibear E, Stevens TH. Vps52p, Vps53p, and Vps54p Form a Novel Multisubunit Complex Required for Protein Sorting at the Yeast Late Golgi. *Molecular Biology of the Cell* 2000; 11: 305-323.

Conibear E, Cleck JN, Stevens TH. Vps51p Mediates the Association of the GARP (Vps52/53/54) Complex with the Late Golgi t-SNARE Tlg1p. *Molecular Biology of the Cell* 2003; 14: 1610-1623.

Conover JC and Allen RL. The subventricular zone: new molecular and cellular developments. *Cell Mol Life Sci* 2002; 59: 2128- 2135.

Conti L, Pollard SM, Gorba T, Reitano E, Toselli M, Biella G, Sun Y, Sanzone S, Ying QL, Cattaneo E, Smith A. Niche-Independent Symmetrical Self-Renewal of a Mammalian Tissue Stem Cell. *Plos Biology* 2005; 3: 1594-1606.

Corti S, Locatelli F, Papadimitriou D, Del Bo R, Nizzardo M, Cardini M, Donadoni C, Salani S, Fortunato F, Bresolin N, Comi GP. Neural stem cells LewisX CXCR4+ modify disease progression in an amyotrophic lateral sclerosis model. *Brain* 2007; 130: 1289-1305.

Corti S, Locatelli F, Papadimitriou D, Donadoni C, Salani S, Del Bo R, Strazzer S, Bresolin N, Comi GP. Identification of a Primitive Brain-Derived Neural Stem Cell Population Based on Aldehyde Dehydrogenase Activity. *Stem Cells* 2006; 24:975-985.

Curtis MA, Kam M, Nannmark U, Anderson MF, Axell MZ, Wikkelso C, Holtas S, van Roon-Mom WMC, Bjork-Eriksson T, Nordborg C, Frisé J, Dragunow M, Faull RLM, Eriksson PS. Human neuroblasts migrate to the olfactory bulb via a lateral ventricular extension. *Science* 2007; 315: 1243-1249.

Curtis MA, Penney EB, Pearson AG, van Roon-Mom WM, Butterworth NJ, Dragunow M, Connor B, Faull RL. Increased cell proliferation and neurogenesis in the adult human Huntington's disease brain. *Proc Natl Acad Sci USA* 2003; 100:9023-27.

Deniselle MCG, Lavista-Llanos S, Ferrini MG, Lima AE, Roldan AG, De Nicola AF. In Vitro Differences Between Astrocytes of Control and Wobbler Mice Spinal Cord. *Neurochem Res* 1999; 24: 1535-1541.

Di Giorgio FP, Carrasco MA, Siao MC, Maniatis T, Eggan K. Non-cell autonomous effect of glia on motor neurons in an embryonic stem cell-based ALS model. *Nat Neurosci* 2007; 5: 608-614.

Doetsch F and Alvarez-Buylla A. Network of tangential pathways for neuronal migration in adult mammalian brain. *Proc Natl Acad Sci USA* 1996; 93: 14895-14900.

Doetsch F, Caille I, Lim DA, Garcia-Verdugo JM, Alvarez-Buylla A. Subventricular zone are neural stem cell in the adult mammalian brain. *Cell* 1999a; 97: 703-716.

Doetsch F, Garcia-Verdugo JM, Alvarez-Buylla A. Cellular composition and three-dimensional organization of the Subventricular Germinal Zone in the Adult Mammalian brain. *J Neurosci* 1997; 17: 5046-5061.

Doetsch F, Garcia-Verdugo JM, Alvarez-Buylla A. Regeneration of a germinal layer in the adult mammalian brain. *Proc. Natl. Acad. Sci.* 1999b; 96: 11619-11624.

Doetsch F, Petreanu L, Caille I, Garcia-Verdugo JM, Alvarez-Buylla A. EGF converts transit-amplifying neurogenic precursors in the adult brain into multipotent stem cells. *Neuron* 2002; 36: 1021-34

Doetsch F. A niche for adult neural stem cell. *Curr Opin Gen Dev* 2003; 13: 543-550.

- Duchen LW, Strich SJ.** An hereditary motor neurone disease with progressive denervation of muscle in the mouse: the mutant "wobbler". *J Neurol Neurosurg Psychiatry* 1968; 31: 535-542.
- Eliasson C, Sahlgren C, Berthold CH, Stakeberg J, Celis JE, Betsholtz C, Eriksson JE, Pekny M.** Intermediate Filament Protein Partnership in Astrocytes. *J Biol Chem* 1999; 274: 23996-240006.
- Eriksson PS, Perfilieva E, Bjork-Eriksson T, Alborn AM, Nordborg C, Peterson DA, Gage FH.** Neurogenesis in the adult human hippocampus. *Nat. Med.* 1998; 4: 1313-1317.
- Farinelli SE, Greene LA, Friedman WJ.** Neuroprotective actions of dipyrindamole on cultured CNS neurons. *J Neurosci* 1998; 18: 5112-5123.
- Gage FH.** Mammalian neural stem cells. *Science* 2000; 287: 1433-1438.
- Galli R, Gritti A, Bonfanti L, Vescovi AL.** Neural stem cells. An overview. *Circ Res* 2003; 92: 598-608.
- Garcia ADR, Doan NB, Imura T, Bush TG and Sofroniew MV.** GFAP-expressing progenitors are the principal source of constitutive neurogenesis in adult mouse forebrain. *Nat Neurosci* 2004; 7: 1233-1241.
- Garcion E, Halilagic A, Faissner A, ffrench-Constant C.** Generation of an environmental niche for neural stem cell development by the extracellular matrix molecule tenascin C. *Development* 2004; 131: 3423-3432.
- Globus JH, Kuhlenbech H.** Subependymal cell plate (matrix) and its relation to brain tumors of ependymal type. *J Neuropathol* 1994; 3: 1-35.
- Goodell MA, Brose K, Paradis B, Conner AS, Mulligan RC.** Isolation and functional properties of murine hematopoietic stem cells that are replicating in vivo. *J Exp Med* 1996;183:1797-1806.
- Goodell MA, Rosenzweig M, Kim H, Marks DF, DeMaria M, Paradis G, Grupp SA, Sieff CA, Mulligan RC, Johnson RP.** Dye efflux studies suggest that hematopoietic stem cells expressing low or undetectable levels of CD34 antigen exist in multiple species. *Nat Med* 1997; 3:1337-1345.

Gritti A, Parati EA, Cova L, Frolichsthal P, Galli R, Wanke E, Faravelli L, Morasutti DJ, Roisen F, Nickel DD, Vescovi AL. Multipotential stem cells from the adult mouse brain proliferate and self-renew in response to basic fibroblast growth factor. *J Neurosci* 1996; 16: 1091-1100.

Gross RE, Mehler MF, Mabie PC, Zang Z, Santschi L, Kessler JA. Bone morphogenetic proteins promote astroglial lineage commitment by mammalian subventricular zone progenitor cell. *Neuron* 1996; 17: 595-606.

Hantaz-Ambroise D, Blondet B, Murawsky M, Rieger F. Abnormal astrocyte differentiation and defective cellular interactions in wobbler mouse spinal cord. *J Neurocytol* 1994; 23: 179-192.

Hantaz-Ambroise D, Cambier D, Ait-Ikief A, Parvy P, Murawsky M, Rieger F. Excess Extracellular and Low Intracellular Glutamate in Poorly Differentiating Wobbler Astrocytes and Astrocyte Recovery in Glutamine-Depleted Culture Medium. *J Neurochem* 1995; 65: 1199-1204.

Harper JM, Krishnan C, Darman JS, Deshpande DM, Peck S, Shats I, Backovic S, Rothstein JD, Kerr DA. Axonal growth of embryonic stem cell-derived motoneurons in vitro and in motoneuron-injured adult rats. *PNAS* 2004; 101: 7123-7128.

Heimann P, Laage S, Jockusch H. Defect of sperm assembly in a neurological mutant of the mouse, wobbler (wr). *Differentiation* 1991; 47: 77-83.

Herrera DG, Garcia-Verdugo JM, Alvarez-Buylla A. Adult-derived neural precursors transplanted into multiple regions in the adult brain. *Ann Neurol* 1999; 46: 867-877.

Hoglinger GU, Rizk P, Muriel MP, Duyckaerts C, Oertel WH, Caille I, Hirsch EC. Dopamine depletion impairs precursor cell proliferation in Parkinson disease. *Nat Neurosci* 2004; 7:726-35.

Jin K, Galvan V, Xie L, Mao XO, Gorostiza OF, Bredesen DE, Greenberg DA. Enhanced neurogenesis in Alzheimer's disease transgenic (PDGF-APP^{Sw,Ind}) mice. *Proc Natl Acad Sci USA* 2004; 101:13363-67.

- Jin K, Zhu Y, Sun Y, Mao XO, Xie L, Greenberg DA.** Vascular endothelial growth factor (VEGF) stimulates neurogenesis in vitro and in vivo. *Proc Natl Acad Sci USA* 2002; 99: 11946-11950.
- Jin K, Wang X, Xie L, Mao XO, Zhu W, Wang Y, Shen J, Mao Y, Banwait S, Greenberg DA.** Evidence for stroke-induced neurogenesis in the human brain. *Procl Natl Acad Sci USA* 2006; 103: 13198-13202.
- Johansson CB, Momma S, Clarke DL, Risling M, Lendhal U, Frisen J.** Identification of neural stem cells in the adult mammalian central nervous system. *Cell* 1999; 96: 25-34.
- Johe KK, Hazel TG, Muller T, Dugich-Djordjevic MM, McKay RDG.** Single factors direct the differentiation of stem cells from the fetal and adult central nervous system. *Genes & Dev* 1996; 10: 3129-3140.
- Julien JP.** Neurofilaments and motor neurone disease. *Trends Cell Biol* 1997; 7:243-249.
- Junier MP, Culpier M, Le Forestier N, Cadusseau J, Suzuki F, Peschanski M, Dreyfus PA.** Transforming Growth Factor α (TGF α) Expression in Degenerating Motoneurons of the Murine Mutant Wobbler: A Neuronal Signal for Astrogliosis?. *J Neurosci* 1994; 14:4206-4216.
- Junier MP, Legendre P, Esguerra CV, Tinel M, Culpier M, Dreyfus PA, Bahr M.** Regulation of growth factor gene expression in degenerating motoneurons of the murine mutant wobbler: a cellular patch sampling /RT-PCR study. *Moll Cell Neurosci* 1998; 12:168-177.
- Kanekura K, Nishimoto I, Aiso S, Matsuoka M.** Characterization of amyotrophic lateral sclerosis-linked P56S mutation of vesicle-associated membrane protein-associated protein B (VAPB/ALS8). *J Biol Chem* 2006; 281: 30223: 30233.
- Kaupmann K, Simon-Chazottes D, Guénet JL, Jockush H.** Wobbler, a mutation affecting motoneuron survival and gonadal functions in the mouse, maps to proximal chromosome 11. *Genomics* 1992; 13: 39-43.
- Kershman J.** The medulloblast and the medulloblastoma. *Arch Neurol Psychiatr* 1938; 4: 937-967.

Kim M, Morshead CM. Distinct Populations of Forebrain Neural Stem and Progenitor Cells Can Be Isolated Using Side-Population Analysis. *J Neurosci*, 2003; 23:10703–10709.

Kokaia Z, Lindvall O. Neurogenesis ischaemic brain insults. *Curr Opin Neurobiol* 2003; 13: 127-132.

Kuhn HG, Winkler J, Kempermann G, Thal LJ, Gage FH. Epidermal growth factor and fibroblast growth factor-2 have different effects on neural progenitors in the adult rat brain. *J Neurosci* 1997; 17: 5820–5829.

Kukekov VG, Laywell ED, Suslov O, Davies K, Scheffler B, Thomas LB, O'Brien TF, Kusakabe M, Steindler DA. Multipotent stem/progenitor cells with similar properties arise from two neurogenic regions of adult human brain. *Exp Neurol* 1999; 156: 333–344.

Laage S, Zobel G, Jockusch H. Astrocyte overgrowth in the brain stem and spinal cord of mice affected by spinal atrophy, wobbler. *Dev Neurosci* 1988; 10: 190-198.

Laywell ED, Rakic P, Kukekov VG, Holland EC, Steindler DA. Identification of a multipotent astrocytic stem cell in the immature and adult mouse brain. *Proc Natl Acad Sci USA* 2000; 97: 13833-13838.

Lewkowicz SJ. Studies on the localization of the lesion in the wobbler mutant mouse. *J Physiol (Lond)* 1979; 289, 39P.

Lie DC, Song H, Colamarino SA, Ming GL, Gage FH. Neurogenesis in the adult brain: new strategies for central nervous system diseases. *Annu Rev Pharmacol Toxicol* 2004; 44:399-421.

Lie DC, Colamarino SA, Song HJ, Désirè L, Mira H, Consiglio A, Lein ES, Jessberger S, Lansford H, Diaric AR, Gage FH. Wnt signalling regulates adult hippocampal neurogenesis. *Nature* 2005; 437: 1370-1375.

Lim DA & Alvarez-Buylla A. Interaction between astrocytes and adult subventricular zone precursors stimulates neurogenesis. *Proc Natl Acad Sci USA* 1999; 96:7526-7531.

- Lim DA, Tramontin AD, Trevejo JM, Herrera DG, Garcia-Verdugo JM, Alvarez-Buylla A.** Noggin antagonizes BMP signalling to create a niche for adult neurogenesis. *Neuron* 2000; 28: 713-726.
- Liu X, Wang Q, Haydar TF, Bordey A.** Nonsynaptic GABA signaling in postnatal subventricular zone controls GFAP-expressing progenitor proliferation. *Nat Neurosci* 2005; 8: 1179-1187.
- Liu Z, Martin LJ.** The adult neural stem and progenitor cell niche is altered in amyotrophic lateral sclerosis mouse brain. *J Comp Neurol* 497: 468-488.
- Lo HW, Ali-Seyed M, Wu Y, Bartholomeusz G, Hsu SC, Hung MC.** Nuclear-Cytoplasmic Transport of EGFR Involves Receptor Endocytosis, Importin b1 and CRM1. *J Biol Chem* 2006; 98: 1570-1583.
- Lois C and Alvarez-Buylla A.** Long-distance neuronal migration in the adult mammalian brain. *Science* 1994; 264: 1145-1148.
- Luskin MB.** Restricted proliferation and migration of postnatally generated neurons derived from the forebrain subventricular zone. *Neuron* 1993, 11: 173-189.
- Machold R, Hayashi S, Rutlin M, Muzumdar MD, Nery S, Corbin JG, Gritli-Linde A, Dellovade T, Porter JA, Rubin LL, Dudek H, McMahon AP, Fishell G.** Sonic hedgehog is required for progenitor cell maintenance in telencephalic stem cell niches. *Neuron* 2003; 39: 937-950.
- Magavi SS, Leavitt BR, Macklis JD.** Induction of neurogenesis in the neocortex of adult mice. *Nature* 2000; 405:951-55.
- Magavi SS, Macklis JD.** Manipulation of neural precursors in situ: induction of neurogenesis in the neocortex of adult mice. *Neuropsychopharmacol* 2001; 25: 816-835.
- Martin LJ, Liu Z.** Adult olfactory bulb neural precursor cell grafts provide temporary protection from motor neuron degeneration, improve motor function, and extend survival in amyotrophic lateral sclerosis mice. *Neuropathol Exp Neurol* 2007; 66 : 1002-1018.
- Martino G, Pluchino S.** The therapeutic potential of neural stem cells. *Nat Rev Neurosci* 2006; 7: 395-406.

Martino G, Pluchino S. Neural stem cells: guardians of the brain. *Nat Cell Biol* 2007; 9: 1031-1034.

Meccariello R, Gobellis G, Berruti G, Junier MP, Ceriani M, Boil e S, Pierantoni R, Fasano S. Mouse sperm-cell specific DnaJ first homologue: an evolutionarily conserved protein for spermiogenesis. *Biol Reprod* 2002; 66: 1328-1335.

Meestma JE and Sepsenwol S. Sperm tail axoneme alterations in the wobbler mouse. *J Reprod Fert* 1980; 58: 267-270.

Mercier F, Kitasako JT, Hatton GI. Anatomy of the brain neurogenic zones revisited: fractones and the fibroblast/macrophage network. *J Comp Neurol* 2002 ; 451 : 170-188.

Merkle FT, Tramontin AD, Garcia-Verdugo JM, Alvarez-Buylla A. Radial glia give rise to adult neural stem cells in the subventricular zone. *Proc. Natl. Acad. Sci* 2004; 101: 17528- 17532.

Ming G, Song H. Adult Neurogenesis in the Mammalian Central Nervous System. *Annu Rev Neurosci* 2005; 28: 223-250.

Misson JP, Austin CP, Takahashi T, Cepko CL, Caviness Jr VS. The alignment of migrating neural cells in relation to the murine neopallial radial glial fiber system. *Cereb Cortex* 1991; 1: 221-229.

Mitsumoto H and Bradley WG. Murin motor neuron disease (the wobbler mouse): degeneration and regeneration of the lower motor neuron. *Brain* 1982; 105: 811-834.

Morshead CM, Van der Kooy D. A new “spin” on neural stem cells?. *Curr Opin Neurobiol* 2001; 11: 59-65.

Nagai M, Re DB, Nagata T, Chalazonitis A, Jessell TM, Wichterle H, Przedborski S. Astrocytes expressing ALS-linked mutated SOD1 release factors selectively toxic to motor neurons. *Nat Neurosci* 2007; 5: 615-622.

Nakatomi H, Kuriu T, Okabe S, Yamamoto S, Hatano O, Kawahara N, Tamura A, Kirino T, Nakafuku M. Regeneration of hippocampal pyramidal neurons after ischemic brain injury by recruitment of endogenous neural progenitors. *Cell* 2002; 110:429–41.

Ninkovic J, Gotz M. Signaling in adult neurogenesis: from stem cell niche to neuronal networks. *Curr Opin Neurobiol* 2007; 17: 338-344.

Nishimura AL, Mitne-Neto M, Silva HC, Richieri-Costa A, Middleton S, Cascio D, Kok F, Oliveira JR, Gillingwater T, Webb J, Skehel P, Zatz M. A mutation in the vesicle-trafficking protein VAPB causes late-onset spinal muscular atrophy and amyotrophic lateral sclerosis. *Am J Hum Genet* 2004; 75: 822-831.

Nyfeler Y, Kirch RD, Mantei N, Leone DP, Radtke F, Suter U, Taylor V. Jagged1 signals in the postnatal subventricular zone are required for neural stem cell self-renewal. *EMBO J* 2005; 24: 3504-3515.

Ono K, Tomasiewicz H, Magnuson T, Rutishauser U. N-CAM mutation inhibits tangential neuronal migration and is phenocopied by enzymatic removal of polysialic acid. *Neuron* 1994; 13: 595-609.

Pluchino S, Quattrini A, Brambilla E, Gritti A, Salani G, Dina G, Galli R, Del Carro U, Amadio S, Bergami A, Furlan R, Comi G, Vescovi AL, Martino G. Injection of adult neurospheres induces recovery in a chronic model of multiple sclerosis. *Nat* 2003; 422: 688-694.

Qian X, Shen Q, Goderie SK, He W, Capela A, Davis AA, Temple S. Timing of CNS cell generation: a programmed sequence of neuron and glia cell production from isolated murine cortical stem cells. *Neuron* 2000; 28:69-80.

Quenneville NR, Chao TY, McCaffery JM, Conibear E. Domains within the GARP Subunit Vps54 Confer Separate Functions in Complex Assembly and Early Endosome Recognition. *Molecular Biology of the Cell* 2006; 17: 1859-1870.

Quinones-Hinojosa A, Sanai N, Soriano-Navarro M, Gonzalez-Perez O, Mirzadeh Z, Gil-Perotin S, Romero-Rodriguez R, Berger MS, Garcia-Verduco JM, Alvarez-Buylla A. Cellular composition and cytoarchitecture of the adult human subventricular zone: a niche of neural stem cells. *J Comp Neurol* 2006 ; 494: 415-434.

Raynolds BA, Weiss S. Generation of neurons and astrocytes from isolated cells of the adult mammalian central nervous system. *Science* 1992; 255:1707-1710.

Rakic P. Guidance of neurons migrating to the fetal monkey neocortex. *Brain Res* 1971; 33: 471-476.

Rietze RL, Valcanis H, Brooker GF, Thoma T, Voss AK, Bartlett PF. Purification of a pluripotent neural stem cell from the adult mouse. *Nature* 2001; 412: 736-739.

Rolls A, Shechter R, London A, Ziv Y, Ronen A, Levy R, Schwartz M. Toll-like receptors modulate adult hippocampal neurogenesis. *Nat Cell Biol* 2007; 9: 1081-1088.

Rosen DR, Siddique T, Patterson D, Figlewicz DA, Sapp P, Hentati A, Donaldson D, Goto J, O'Regan JP, Deng HX, et al. Mutations in Cu/Zn superoxide dismutase gene are associated with familial amyotrophic lateral sclerosis. *Nature* 1993; 362:59-62.

Sanai N, Berger MS, Garcia-Verdugo JM, Alvarez-Buylla A. Comment on "Human neuroblasts migrate to the olfactory bulb via a lateral ventricular extension". *Science* 2007; 318: 393b.

Sanai N, Tramontin AD, Quinones-Hinojosa A, Barbaro NM, Gupta N, Kunwar S, Lawton MT, McDermott MW, Parsa AT, Manuel-Garcia Verdugo J, Berger MS, Alvarez-Buylla A. Unique astrocyte ribbon in adult human brain contains neural stem cells but lacks chain migration. *Nature* 2004; 427: 740-744.

Santoro B, Bigini P, Levandis G, Nobile V, Bigioggera M, Botti F, Pennini T, Curti D. Evidence for chronic mitochondrial impairment in the cervical spinal cord of a murine model of motor neuron disease. *Neurobiol Dis* 2004; 17: 349-357.

Sawamoto K, Wichterle H, Gonzalez-Perez O, Cholfin JA, Yamada M, Spassky N, Murcia NS, Garcia-Verdugo JM, Marin O, Rubenstein JLR, Tessier-Lavigne M, Okano H, Alvarez-Buylla A. New Neurons Follow the Flow of Cerebrospinal Fluid in the Adult Brain. *Science* 2006; 311: 629-632.

Schlomann U, Rathke-Hartlieb S, Yamamoto S, Jockusch H, Bartsch JW. Tumor necrosis factor α induces a metalloprotease-Disintegrin, ADAM8 (CD 156): implications for neuron-glia interactions during neurodegeneration. *J Neurosci* 2000; 20: 7964-7971.

Schmitt-John T, Drepper C, Mußmann A, Hahn P, Kuhlmann M, Thiel C, Hafner M, Lengeling A, Heimann P, Jones JM, Meisler MH, Jockusch H. Mutation of Vps54 causes motor neuron disease and defective spermiogenesis in the wobbler mouse. *Nature Genetics* 2005; 37:1213-1214.

Shen Q, Goderie SK, Jin L, Karanth N, Sun Y, Abramova N, Vincent P, Pumiglia K, Temple S. Endothelial cells stimulate self-renewal and expand neurogenesis of neural stem cells. *Science* 2004; 304: 1253-1255.

Shihabuddin LS, Horner PJ, Ray J, Gage FH. Adult spinal cord stem cells generate neurons after transplantation in the adult dentate gyrus. *J Neurosci* 2000; 20: 8727-8735.

Song H, Stevens CF, Gage FH. Astroglia induce neurogenesis from adult neural stem cells. *Nature* 2002; 417: 39-44.

Soussan L, Burakov D, Daniels MP, Toister-Achituv M, Porat A, Yarden Y, Elazar Z. ERG30, a VAP-33-related protein, functions in protein transport mediated by COPI vesicles. *J Cell Biol* 1999; 146: 301-311.

Suzuki M, McHugh J, Tork C, Shelley B, Klein SM, Aebischer P, Svendsen CN. GDNF Secreting Human Neural Progenitor Cells Protect Dying Motor Neurons, but Not Their Projection to Muscle, in a Rat Model of Familial ALS. *Plos One* 2007; 2: 1-14.

Suhonen JO, Peterson DA, Ray J, Gage FH. Differentiation of adult hippocampus-derived progenitors into olfactory neurons in vivo. *Nature* 1996; 383: 624-627.

Svendsen CN, Skepper J, Rosser AE, Ter Borg MG, Tyres P, Ryken T. Restricted growth potential of rat neural precursors as compared to mouse. *Dev Brain Res* 1997; 99: 253-258.

Tattersfield AS, Croon RJ, Liu YW, Kells AP, Faull RL, Connor B. Neurogenesis in the striatum of the quinolinic acid lesion model of Huntington's disease. *Neuroscience* 2004; 127:319-332.

Taupin P. Autologous transplantation in the central nervous system. *Indian J Med Res* 2006 ; 124: 613-618.

Taupin P and Gage F. Adult neurogenesis and neural stem cells of the central nervous system in mammals. *J Neurosci Res* 2002; 69: 745-749.

Torroglosa A, Murillo-Carretero M, Romero-Grimaldi C, Matarredona ER, Campos-Caro A, Estrada C. Nitric Oxide Decreases Subventricular Zone Stem Cell Proliferation by Inhibition

of Epidermal Growth Factor Receptor and Phosphoinositide-3-Kinase/Akt Pathway. *Stem Cells* 2007; 25:88-97.

Troppe V, Craig CG, Morshead CM, Van der Kooy D. Transforming growth factor α null and senescence mice show decreased neural progenitor cell proliferation in the forebrain subependyma. *J Neurosci* 1997; 17: 7850-7859.

Tsusaka K, Ishiyama T, Pioro EP, Mitsumoto H. Role of Brain-derived neurotrophic factor in wobbler mouse motoneuron disease. *Muscle Nerve* 2001; 24:474-480.

Van der Kooy, Weiss S. Why stem cells?. *Science* 2000; 287, 1439-1441.

Walton N, Sutter BM, Laywell ED, Levkoff LH, Kearns SM, Marshall GP, Scheffler B, Steindler DA. Microglia Instruct Subventricular Zone Neurogenesis. *Glia* 2006; 54: 815-825.

Wang Y, Mao XO, Xie L, Banwait S, Marti HH, Greenberg DA, Jin K. Vascular endothelial growth factor overexpression delays neurodegeneration and prolongs survival in Amyotrophic Lateral Sclerosis mice. *J Neurosci* 2007; 27: 304-307.

Williamson TL, Cleveland DW. Slowing of axonal transport is a very early event in the toxicity of ALS-linked SOD1 mutants to motor neurons. *Net Neurosci* 1999; 2: 50-56.

Whittemore SR, Morasutti DJ, Walters WM, Liu RH, Magnuson DSK. Mitogen and substrate differentially affect the lineage restriction of adult rat subventricular zone neural precursor cell populations. *Exp Cell Res* 1999; 252: 75-95.

Yamanaka K, Vande Velde C, Eymard Pierre E, Bertini E, Boespflug-Tanguy O, Cleveland DW. Unstable mutants in the peripheral endosomal membrane component ALS2 cause early onset motor neuron disease. *Proc Natl Acad Sci USA* 2003; 100: 16041-16046.

Yu RK, Yanagisawa M. Glycosignaling in neural stem cells: involvement of glycoconjugates in signal transduction modulating the neural stem cell fate. *J Neurochem* 2007; 103: 39-46.