

9. Bibliografia

1. Kormsmeier R.W., Peppas N.A. "Macromoleculum and modeling aspect of swelling-controlled system" in Rosemann T.J., Mansdorf S.Z., Controlled Release delivery Systems, Dekker ed., New York and Basel, 1983.
2. Colombo P. "Swelling-controlled release in hydrogel matrices for oral route" *Advanced Drug Delivery Reviews*, 1993, 11, 37-57.
3. Colombo P., Santi P., Pettini R., Brazel C., Peppas N.A. "Drug release from swelling-controlled systems" in Wise D.(ed.), *Handbook of Pharmaceutical Controlled Release Technology*, Dekker, New York, 2000, 9.183-206.
4. Colombo P., Pettini R., Santi P., Peppas N.A. "Swellable matrices for controlled drug delivery: gel-layer behaviour, mechanisms and optimal performance" *PSTT* vol.3, No.6 june 2001.
5. Bettini R., Colombo P., Massimo G., Catellani P.L., Vitali Tullo "Swelling and drug release in hydrogel matrices: polymer viscosità and porosità effects" *European Journal of Pharmaceutical Sciences* 2 (1994), 213-219.
6. Jürgen Siepmann, Kranz H., Peppas N.A., Bodmeier R. "Calculation of the required size and shape of hydroxypropylmethylcellulose matrices to achieve desired drug release profiles" *International Journal of Pharmaceutics* 201 (200), 151-164.
7. Lee P.I. and Peppas N.A. "Prediction of polymer dissolution in swelling controlled-release systems" *J. Control Release* 6 (1987), 207-215.
8. Narasimhan B. and Peppas N.A. "Molecular analysis of drug delivery systems controlled by dissolution of the polymer carrier" *J. Pharm. Sci.* 86 (1997), 297-304.
9. Colombo P., Maggi L., Gazzaniga A., Conte U., La Manna A., Peppas N.A. "Drug release from swelling matrices restricted by impermeabile film coatings" *Proced* Intern. Symp. Control. Rel. 15 (1988), 40-41.
10. Thomas D. Reynolds, Shawn A. Mitchell, Karen M. Balwinski "Investigation of the Effect of Tablet Surface Area/Volume on Drug Release from Hydroxypropylmethylcellulose Controlled-Release Matrix Tablets" *Drug Development and Industrial Pharmacy*, 28(4), 457-466 (2000).
11. Karasuli H. Y., Erton G., Kose T. "Modeling of Theophylline Release from Different geometrical erodible Tablets" *Eur. J. Pharm. Biopharm.* 2000, 49, 177-182.

12. Gobby J., Mayersohn M., Walzer G.C. "Influence of Theophylline Release from Different Geometrical Erodible Tablets I:Theoretical" *J.Pharm. Sci.* 1974, 63 (5), 725-731.
13. Siepmann J., Kranz H., Peppas N.A., Bodmeier R. "Calculation of the required Size and Shape of Hydroxypropylmethylcellulose Matrices to achieve desired drug release Profiles" *Int. J. Pharm.* 2000, 201, 151-164.
14. Siepmann J., Podual K., Sriwongjanya M., Peppas N.A., Bodmeier R. "A New Model Describing the Swelling and Drug Release Kinetics from Hydroxypropyl Methylcellulose Tablets" *J. Pharm. Sci.* 1999, 88 (1), 65-72.
15. Colombo P., Catellani P.L., Maggi L., Peppas N.A., Conte U. "Swelling characteristics of hydrophilic matrices for controlled release: new dimensionless number to describe the swelling release behaviour" *Int. J. Pharm.* 1992 (88) 99-109.
16. Heng, P.W.S., Chan, L.W., Easterbrook, M.G., Li, X. "Investigation of the influence of mean HMPC particle size and number of polymer particles on the release of aspirin from swellable hydrophilic matrix tablets." *J. Control Rel.* 76 2001. (76) 39-49.
17. Losi E, Bettini R, Santi P, Sonvico F, Colombo G, Lofthus K, Colombo P, Peppas N. "Assemblage of a novel release model for the development of adaptable drug delivery system." *J. Control Rel.* 111, 212-218, 2006
18. Timmermans J, Moës AJ. Apparatus and method for resultant-weight measuring system. Patent number 5,076,107 Dec. 31, 1991
19. Timmermans J, Moës AJ. Factors controlling the buoyancy and gastric retention capabilities of floating matrix capsules: new data for reconsidering the controversy. *J Pharm Sci.* 1994;83(1):18-24.
20. Timmermans J, Moës AJ. How well do floating dosage forms float? *International Journal of Pharmaceutics.* 1990;62(2-3):207-216.
21. Timmermans J, Moës AJ. Measuring the resultant weight of an immersed test material. Part I. Validation of an apparatus and a method dedicated to pharmaceutical applications. *Acta Pharmaceutica Technologica.* 1990;36(3):171-5.
22. Rouge N, Cole ET, Doelker E, Buri P. Buoyancy and Drug Release Patterns of Floating Minitablets Containing Piretanide and Atenolol as Model Drugs. *Pharmaceutical Development and Technology.* 1998;3(1):73.
23. N.A Peppas "Analysis of Fickian and non Fickian drug release from polymers". *Pharm. Acta Helv.* (60), 110-111, 1985

24. Nikolas A., Peppas N.A. and Jennifer J: Sahlin “A Simple equation for the description of solute release. III. Coupling of diffusion and relaxation” *Int. J. Pharm.*, 1989,57,169-172.
25. Guidance for industry “Dissolution testing of immediate release solid oral dosage form”.US Department of Health and Human Service, CDER, August 1997.
26. Esbensen, K. “Multi-variate Data Analysis in practice 5 Ed”
27. Badawy SI, Menning MM, Gorko MA, Gilbert DL. “Effect of process parameters on compressibility of granulation manufactured in a high shear mixer.*Int. J. Pharm.* 2000 (198) 51-61
28. Oulahna D, Cordier F, Galet L, Dodds JA. “Wet granulation: The effect of shear on granule properties.” *Powder Technol.* 2003 (130) 238-246
29. Johansson B, Alderbon G. “The effect of shape and porosity on the compression behaviour and tablet forming ability of granular materials formed from microcrystalline cellulose” *Eur. J. Pharm Biopharm.* 2001 (52) 347-357
30. Suzuki T, Watanabe K, Kikkawa S, Nakagami H. “Effect of crystallinity of microcrystalline cellulose on granulation in high shear mixer”. *Chem Pharm Bull* 1994, 42, 2315-2319.
31. Vertommen J, Michoel A, Rombaut P, Kinget R. “Production of pseudoephedrine hydrochloride pellets in a high shear mixer granulator” *Eur. J. Pharm Biopharm.* 1994, 40, 32-35
32. Seitavuopio P, Heinamaki J, Rantanen J, Yliruusi J. “Monitoring tablet surface roughness during the film coating process”. *AAPS PharmSciTech.* 2006 7(2). Article 31
33. Mojaverian P, Vlasses PH, Kellner P.E, Rocci jr M.L. “Effects of gender, posture, age, on gastric residence time of an indigestible solid: pharmaceutical considerations” *Pharm Res.* 1988, 5, 639-644
34. Guidelines for the treatment of malaria. 2006 World Health Organization
35. Dien T.K, DeVries P.J, Khanh N.X, Koopmans R, Binh L.N, Duc D.D, Kager P.A, Bostel C.J. “Effect of food intake on pharmacokinetics of oral artemisinin in healthy Vietnamese subjects” *Antimicrob Agents Chemoter.*1997, 41, 1069-1072
36. Olliaro P.L, Nair N.K, Sathasivam K, Mansor S.M, Navaratnam V. “Pharmacokinetics of Artesunate after single oral administration to rats” *BMC Pharmacol.* 2001, 1:12
37. Gaudin K, Langlois M.H, Barbaud A, Boyer C, Millet P, Fawaz F, Dubost JP. “Stability of Artesunate in pharmaceutical solvents” *J. Pharmaceut. Biomed Anal.* 2007. 43, 3, 1019-1024

38. Gabriels M, Plaizer-Vercammen J.A. "Densitometric thin layer chromatographic determination of Artemisinin and its lipophilic derivatives, Artemether and Arteether". *J. Chromatogr. Sci.* 2003, 41, 7, 359-366
39. Balint G.A "Artemisin and its derivatives. An important new class of antimalarial agents" *Pharmacol Ther.* 2001, 90,(2-3), 261-265
40. Reynolds T.D, Mitchell S.A, Balwinski K.M. "Investigation of the effects of tablets surface area/volume on drug release from hydroxypropylmethylcellulose controlled release matrix tablets" *Drug. Dev. Ind. Pharm* 2002, 28, 4, 457-466
41. Davis S.S, Hardy J.G, Fara J.W. "Transit of pharmaceutical dosage forms through the small intestine" *Gut* 1986, 27,886-892