



UNIVERSITÀ DI PARMA

ARCHIVIO DELLA RICERCA

University of Parma Research Repository

Nanotubes of imogolite do not activate macrophages and modestly perturb the barrier properties of airway epithelial cells in vitro

This is the peer reviewed version of the following article:

Original

Nanotubes of imogolite do not activate macrophages and modestly perturb the barrier properties of airway epithelial cells in vitro / Bussolati, Ovidio; Rotoli, Bianca Maria; Zanello, Pier Paolo; Bonelli, Barbara; Zanzottera, Cristina; Garrone, Edoardo; Fenoglio, Ivana; Fubini, Bice; Ghiazza, Mara; Bergamaschi, Enrico. - STAMPA. - (2011), pp. 90-90.

Availability:

This version is available at: 11381/2785711 since: 2015-02-20T13:04:49Z

Publisher:

M. Riediker

Published

DOI:

Terms of use:

openAccess

Anyone can freely access the full text of works made available as "Open Access". Works made available

Publisher copyright

(Article begins on next page)

Abstract book

3rd NanoImpactNet Conference

Building a bridge from NanoImpactNet to nanomedical research

Lausanne, Switzerland

14-17 February 2011



Hosted by the Institute for Work and Health, Lausanne, Switzerland

7.1.10 Nanotubes of imogolite do not activate macrophages and modestly perturb the barrier properties of airway epithelial cells *in vitro*

Ovidio Bussolati¹, Bianca Maria Rotoli¹, Pier Paolo Zanello¹, Barbara Bonelli², Cristina Zanzottera², Edoardo Garrone², Ivana Fenoglio³, Bice Fubini³, Mara Ghiazza³, Enrico Bergamaschi¹

¹Dept. Cl. Medicine, Nephrology and Health Sciences & Dept. Experimental Medicine, University of Parma, Italy

²DISMIC, Politecnico di Torino, Italy and INSTM Unit of Torino Politecnico, Italy

³Interdepart. Centre "G. Scansetti" and Dept. of Chemistry, University of Torino, Italy
Email: enrico.bergamaschi@unipr.it

Since airways represent the first barrier for inhaled particles, the effects of nanomaterials on the cells of Lung Blood Barrier (LBB) should be investigated. Previous findings showed that MWCNT impair airway barrier function and are toxic to macrophage lines [1]. Here we investigate the effects of nanotubes of imogolite (INT), a hydrated alumino-silicate with the formula $(OH)_3Al_2O_3SiOH$, previously proposed by some of us as a possible negative control for HARN [2].

INT - i.d. 1 nm, BET 394 m² g⁻¹, total and microporous volume of 0.27 and 0.11 cm³ g⁻¹, respectively - were synthesized via sol-gel procedure and found organized into fibres at FESEM [3]. As *in vitro* models of LBB cells, we used two murine macrophage cell lines (Raw264.7 and MH-S) and the human airway epithelial cells Calu-3. Cell viability was assessed with resazurin. RT-PCR was used to study the expression of NOS2 and ARG1, markers of, respectively, macrophage classical or alternative activations, and concentration of nitrites in the culture medium was measured as an indicator of NO production. Epithelial barrier integrity was evaluated from the trans-epithelial electrical resistance (TEER). At the same doses, INT caused much smaller effects than MWCNT on macrophage viability, while no significant damage was observed up to 40 µg/cm² of monolayer for exposure times up to 24h. The incubation of macrophages with INT at doses as high as 120 µg/cm² for 72h did not alter either NOS2 or ARG1 expression nor increased NO production. In Calu-3 monolayers exposed to INT (120 µg/cm² for 7d) only modest TEER changes were recorded (< 20%).

As a whole, in spite of their fibrous nature, INT appear not markedly toxic for *in vitro* models of LBB cells and could represent a low-toxicity reference for *in vitro* toxicological studies on HARN, should further tests confirm their inertness.

Supported by MIUR-PRIN Grant No. 2007498XRF

[1] Bianca Maria Rotoli et al., 2008. Non-functionalized multi-walled carbon nanotubes alter the paracellular permeability of human airway epithelial cells. *Toxicol. Lett.* 178:95-102.

[2] Bice Fubini et al., 2010. Physico-chemical features of engineered nanoparticles relevant to their toxicity. *Nanotoxicology*, (DOI: 10.3109/17435390.2010.509519)

[3] Ilaria Bottero et al. 2010. Synthesis and characterization of hybrid organic/inorganic nanotubes of the imogolite type and their behaviour towards methane adsorption. *Phys. Chem. Chem. Phys.* (DOI: 10.1039/C0CP00438C)